

Physician Orders ADULT Order Set: ED Abdominal Pain Male Orders

[R] = will be ordered

T= Today; N = Now (date and time ordered)
Height: cm Weight:

Height:cm Weight:kg							
Allerg	Allergies: [] No known allergies						
[]Med	[]Medication allergy(s):						
[] La	tex allergy []Other:						
		Initial Orders					
		c, place Bedside Glucose order below:					
[]	Whole Blood Glucose Nsg (Bedside	T;N, Stat, once, PRN					
	Glucose Nsg)						
[]	Intermittent Needle Therapy	T;N,q4day					
	Insert/Site (INT Insert/Site Care)						
[]	NPO	Start at: T;N					
[]	CBC	T;N, STAT, once, Type: Blood, Nurse Collect					
[]	Comprehensive Metabolic Panel	T;N, STAT, once, Type: Blood, Nurse Collect					
	(CMP)						
[]	Amylase Level	T;N, STAT, once, Type: Blood, Nurse Collect					
[]	Lipase Level	T;N, STAT, once, Type: Blood, Nurse Collect					
[]	Urinalysis	T;N, STAT, once, Type: Urine, Nurse Collect					
[]	Urinalysis w/Reflex Microscopic	T;N, STAT, once, Type: Urine, Nurse Collect					
	Exam						
		Patient Care					
[]	O2 Sat Spot Check-NSG	T;N, Stat					
[]	O2 Sat Monitoring NSG	T;N, Stat					
[]	Catheterize In/Out (In and Out Cath)	T;N, Stat					
[]	Indwelling Urinary Catheter Insert	T;N					
	(Foley Insert)						
	Respiratory Care						
[]	Nasal Cannula (O2-BNC)	T;N Stat, 2 L/min, Special Instructions: Titrate to keep O2 sat =/>92%					
	Continuous Infusions						
[]	Sodium Chloride 0.9% (Sodium	500 mL, IV Piggyback, once, STAT, 1,000 mL/hr					
	Chloride 0.9% Bolus)						
	Sodium Chloride 0.9%	1,000 mL,IV,STAT,T;N,75 mL					
	Sodium Chloride 0.45%	1,000 mL,IV,STAT,T;N,75 mL/hr					
[]	Dextrose 5% with 0.45% NaCl	1,000 mL,IV,STAT,T;N,75 mL					
	(Sodium chloride 0.45% with D5W)						



Physician Orders ADULT Order Set: ED Abdominal Pain Male Orders

[R] = will be ordered

T= Today; N = Now (date and time ordered)

I = Today; N = Now (date and time ordered) Medications						
T 1	clindamycin	900 mg,IV Piggyback,IV Piggyback,once,STAT,T;N				
i i	piperacillin-tazobactam	3.375 g, IV Piggyback, IV Piggyback, once, STAT				
[]	vancomycin	1 g, IV Piggyback, IV Piggyback, once, STAT, Comment: If patient weight is less				
' '		than or equal to 60 kg				
[]	vancomycin	1.5 g, Injection, IV Piggyback, once, STAT, Comment: If patient's weight is				
' '		greater than 60 kg or less than 100 kg				
[]	vancomycin	2 g, Injection, IV Piggyback, once, STAT, Comment: If patient's weight is equal				
' '		to or greater than 100 kg				
[]	metroNIDAZOLE	500 mg,IV Piggyback,IV Piggyback,once,STAT,T;N,()				
Ϊ́	gentamicin	100 mg,IV Piggyback,IV Piggyback,once,STAT,T;N,()				
11	HYDROmorphone	1 mg,Injection,IV Push,once,STAT,T;N				
11	morPHINE	2 mg,Injection,IV Push,once,STAT,T;N				
Γî	prochlorperazine	5 mg,Injection,IV Push,once,STAT,T;N				
ΪÌ	prochlorperazine	5 mg,Injection,IV Push,once,PRN,T;N				
ΪÎ	ketorolac	15 mg, Injection, IV Push, once, STAT				
ΪÌ	ketorolac	30 mg, Injection, IV Push, once, STAT				
[]	ondansetron	4 mg,Injection,IV Push,once,STAT,T;N				
		Laboratory				
[]	Urine Culture	T;N, STAT, Specimen Source: Urine, Nurse Collect				
[]	CK	T;N, STAT, once, Type: Blood, Nurse Collect				
[]	Troponin-I	T;N, STAT, once, Type: Blood, Nurse Collect				
[]	Chem 8 Profile POC	T;N, Stat				
[]	Type and Screen	T;N, STAT, to Hold, Type: Blood, Nurse Collect				
[]	Blood Culture	Time Study, q5min x 2 occurrences, Nurse Collect				
[]	Prothrombin Time (PT/INR)	T;N, STAT, once, Type: Blood, Nurse Collect				
[]	Partial Thromboplastin Time (PTT)	T;N, STAT, once, Type: Blood, Nurse Collect				
[]	GC DNA Probe	T;N, STAT, once, Type: Genprobe Swab (cervical or urethral), Nurse Collect				
[]	Occult Blood, Stool	T;N, STAT, once, Type: Stool, Nurse Collect				
	Occult Blood-Stool x 3 Specimens					
[]	Occult Blood, Stool	Routine, T;N, once, Type: Stool, Nurse Collect				
[]	Occult Blood, Stool	Routine, T;N+30, once, Type: Stool, Nurse Collect				
	Occult Blood, Stool	Routine, T;N+60, once, Type: Stool, Nurse Collect				
	Urine Drug Screen Triage	STAT, T;N, once, Type: Urine, Nurse Collect				
	Drug Screen Stat Urine	STAT, T;N, once, Type: Urine, Nurse Collect				
[]	Drug Screen Stat Urine ED Only	STAT, T;N, once, Type: Urine, Nurse Collect				
	Drug Abuse Screen Urine	STAT, T;N, once, Type: Urine, Nurse Collect				
	CKMB	T;N, STAT, once, Type: Blood, Nurse Collect				
	CKMB POC	T;N, Stat				
ΗŢ	Brain Natriuretic Peptide (BNP)	T;N, STAT, once, Type: Blood, Nurse Collect				
للل	BNP by Triage POC	T;N, Stat				
\Box	Myoglobin	T;N, STAT, once, Type: Blood, Nurse Collect				



Physician Orders ADULT Order Set: ED Abdominal Pain Male Orders

[R] = will be ordered

T= Today; N = Now (date and time ordered)

Diagnostic Tests					
[]	Electrocardiogram (EKG)	Start at: T;N, Priority: Stat			
[]	Chest 1VW Frontal	T;N, Stat, Portable			
[]	Chest 2VW Frontal & Lat	T;N, Stat, Stretcher			
[]	Abd Sing AP VW	T;N,Reason for Exam: Other, Enter in Commemts,Other reason: Abdominal			
		Pain,Stat,Stretcher			
[]	Abd Comp W Decubitus/Erect VW	T;N, Reason for Exam: Abdominal Pain, Stat, Stretcher			
[]	CT Abdomen WO Cont	T;N, Reason for Exam: Abdominal Pain, Stat, Stretcher			
[]	CT Pelvis WO Cont	T;N,Reason for Exam: Other, Enter in Commemts,Other reason:			
		Pain,Stat,Stretcher			
	Note: If the following 2 orders are placed, must designate in the Order Comment if PO Contrast.				
[]	CT Abdomen W Cont	T;N, Reason for Exam: Abdominal Pain, Stat, Stretcher			
[]	CT Pelvis W Cont	T;N,Reason for Exam: Other, Enter in Commemts,Other reason:			
		Pain,Stat,Stretcher			
[]	US Abd Comp	T;N, Reason for Exam: Abdominal Pain, Stat, Stretcher			
[]	US Abd Ltd Sing Organ/FU	T;N, Reason for Exam: Abdominal Pain, Stat, Stretcher			
Consults/Notifications					
[]	Physician Consult (Consult MD)	T;N, Consult: General Surgery			
		<u></u> _			

Date	Time	Physician's Signature	MD Number