

Physician Orders ADULT

Title: Spinal Disc/ Reconstruction Surgery Admit Plan

[R] = will be ordered

T = Today; N = Now	(date	and time ordered)	
Height:	cm	\Meiaht∙	

Height	:: cm Weight:	kg			
Allerg		[] No known allergies			
	dication allergy(s):				
[] La	tex allergy []Other:	Haratanas's I			
	Ligaria Danasa Isaa Dhaasa	Uncategorized A latit Plant of the Control Plant of			
[]	Initiate Powerplan Phase	T;N, Phase: Spinal Disc/ Reconstruction Surgery Admit Phase			
		When to Initiate:			
		Admission/Transfer/Discharge			
	Patient Status Initial Inpatient Attending Physician:				
	Bed Type: [] Med Surg [] Telemetry				
		Attending Physician:			
	Outpatient Status/Service: [] OP-Ambulatory [] OP-Diagnostic Procedure [] OP-Observation Services				
	NOTE to MD:				
		tion/dx with severity of illness or co-morbid conditions indicating a hospital stay			
	greater than 24 hours is required.				
		surgery – Outpatient surgery/procedure with discharge anticipated after a routine or, in			
	some cases, extended recovery.				
	Routine recovery after outpatient surgery is estimated at 6-8 hours.				
		required for a patient to stay longer (could be overnight) to recover from anticipated			
	sequela of surgery including effects of				
		or a complicated post operative course, the patient may require a status change to			
	I -	nanager before making this choice of "status change".			
		generally selected for patients undergoing PCI, diagnostic caths, EP studies,			
	ablations, pacemaker implantations, other routine surgeries.				
		Services – Short term treatment, assessment and reassessment - estimate discharge			
	within 24 hours				
	• In some cases (for Medicare patients				
		lized when it is unclear (without additional assessment) whether the patient will			
F 7	require an inpatient stay.	T.M. of room number on extinal to unit			
Drimon	Notify physician once y Diagnosis:	T;N, of room number on arrival to unit			
	dary Diagnosis:				
Coconic	Jary Bragnoole.	Vital Signs			
ГТ	Vital Signs	T;N, Routine Monitor and Record T,P,R,BP, q8h(std)			
	Thai Oigno	Activity			
г 1	Out Of Bed	T;N, Up As Tolerated			
L J	Ambulate	T;N, With Assistance			
LJ	Ambulate				
	luno.	Food/Nutrition			
[]	NPO	Start at: T;2359			
		Patient Care			
[]	Consent Signed For	T;N, Procedure: Lumbar disc/lumbar stenosis. "Operate on low back, remove tissue			
		to free needed nerves as needed"			
[]	Consent Signed For	T;N, Procedure: Lumbar fusion " Operate on low back, fuse with bone graft from hip,			
- -	-	local bone, screws, bone extenders, rods, plates or spacers as necessary"			
[]	Consent Signed For	T;N, Procedure: Cervical disc/fusion "Operate on neck, remove disc and other			
		tissue to free nerves, fuse with bone from hip or bone bank, augment with cervical			
		plate, screws as necessary"			
		plate, colotte as hosessary			





Physician Orders ADULT Order Set: Spinal Disc/ Reconstruction Surgery Admit Plan

[R] = will be ordered

T= Today; N = Now (date and time ordered)

	Patient Care (continued)				
[]	Consent Signed For	T;N, Procedure: Kyphoplasty " Operate on spine, biopsy, fracture-reduce and			
		stabilize with balloons, bone, void filler or cement"			
[]	Consent Signed For	T;N, Procedure: Scoliosis Surgery "Operate on back, staighten curves with rods,			
		hooks or screws, fuse with bone from hip, local bone or bone extenders			
[]	Indwelling Urinary Catheter Insert -	T;N, Comment: To be placed while in Pre-Procedure area,			
	Follow Removal Protocol	Reason:			
		[] Post-op surgery less than 24 hours ago, [] Bladder outlet obstruction			
		[] Chronic hx indwell or suprapubic cath [] Acute urinary retention			
		[] s/p Surg. on structure surround GU Tract, [] s/p Urologic Surgery,			
		[] s/p Liver, Kidney or Pancreas Transplant, [] s/p OB or GYN surgery,			
		[] Patient is sedated AND on vent, [] Epidural in place			
		[] Cont. irrigation OR medication instilled, [] Hospice or Terminal Care			
		[] 24 hr urine collection AND pt. incont			
		[] UOP monitored in critically ill pt,			
		[] Open sacral or peri wound w urine incont			
		[] Spinal fusion, scoliosis w/ prolong immobilization			
		[] SURG: prolonged duration expected [] SURG: lg volume infusions/diuretics			
		[] SURG: urine output monitoring [] SURG: bladder decompression			
		Continuous Infusions			
	Lactated Ringers	1,000 mL,IV,Routine,T;N,75 mL/hr			
	I	Medications			
[]	VTE SURGICAL Prophylaxis Plan	Print and Complete Separate Sheet (Form # 25006)			
[]	morPHINE	4 mg,Injection,IV push,once,Routine,T;N			
[]	morPHINE docusate	4 mg,Injection,IV push,once,Routine,T;N 100 mg,Cap,PO,qam,Routine,T;N			
[] []					
[] []	docusate	100 mg,Cap,PO,qam,Routine,T;N			
	docusate	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in			
	docusate ceFAZolin NOTE: If allergic to penicillin give	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued :			
	docusate ceFAZolin	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued : 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment:			
[]	docusate ceFAZolin NOTE: If allergic to penicillin give vancomycin	100 mg, Cap, PO, qam, Routine, T; N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose), Comment: administer in holding area prior to surgery			
	docusate ceFAZolin NOTE: If allergic to penicillin give	100 mg, Cap, PO, qam, Routine, T; N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose) Comment:			
[]	docusate ceFAZolin NOTE: If allergic to penicillin give vancomycin	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose) Comment: administer in holding area prior to surgery			
[]	docusate ceFAZolin NOTE: If allergic to penicillin give vancomycin moxifloxcin	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose) Comment: administer in holding area prior to surgery Laboratory			
[]	docusate ceFAZolin NOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously o	100 mg, Cap, PO, qam, Routine, T; N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup:			
[]	docusate ceFAZolin NOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously o CBC	100 mg, Cap, PO, qam, Routine, T; N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T; N, once, Type: Blood			
[]	MOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously of CBC Comprehensive Metabolic Panel (CMP)	100 mg, Cap, PO, qam, Routine, T; N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T; N, once, Type: Blood Routine, T; N, once, Type: Blood			
[]	docusate ceFAZolin NOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously o CBC Comprehensive Metabolic Panel (CMP) Type and Crossmatch PRBC	100 mg, Cap, PO, qam, Routine, T; N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T; N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T; N, once, Type: Blood Routine, T; N, once, Type: Blood Routine, T; N, Special Needs:, Number of Units:Type: Blood			
[]	MOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously o CBC Comprehensive Metabolic Panel (CMP) Type and Crossmatch PRBC Transfuse PRBC's - Not Actively	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T;N, once, Type: Blood Routine, T;N, special Needs:, Number of Units:Type: Blood Routine, T;N, Reason for Transfusion:,			
	NOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously of CBC Comprehensive Metabolic Panel (CMP) Type and Crossmatch PRBC Transfuse PRBC's - Not Actively Bleeding	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T;N, once, Type: Blood Routine, T;N, once, Type: Blood Routine, T;N, Special Needs:, Number of Units:Type: Blood Routine, T;N, Reason for Transfusion:, expected date of transfusion:, Number of Units Requested: 1 Unit			
	MOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously of CBC Comprehensive Metabolic Panel (CMP) Type and Crossmatch PRBC Transfuse PRBC's - Not Actively Bleeding Transfuse PRBC's - Actively	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued : 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T;N, once, Type: Blood Routine, T;N, once, Type: Blood Routine, T;N, Special Needs:, Number of Units:Type: Blood Routine, T;N, Reason for Transfusion:, expected date of transfusion:, Number of Units Requested: 1 Unit Routine, T;N, Reason for Transfusion:,			
	NOTE: If allergic to penicillin give vancomycin moxifloxcin NOTE: If not ordered previously of CBC Comprehensive Metabolic Panel (CMP) Type and Crossmatch PRBC Transfuse PRBC's - Not Actively Bleeding	100 mg,Cap,PO,qam,Routine,T;N 2 g, IV Piggyback, IV Piggyback, N/A, Routine, (1 dose) Comment: administer in holding area prior to surgery Medications continued: 15mg/kg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose), Comment: administer in holding area prior to surgery 400mg, IV Piggyback, IV Piggyback, N/A, routine, T;N (1 dose) Comment: administer in holding area prior to surgery Laboratory n preadmission workup: Routine, T;N, once, Type: Blood Routine, T;N, once, Type: Blood Routine, T;N, Special Needs:, Number of Units:Type: Blood Routine, T;N, Reason for Transfusion:, expected date of transfusion:, Number of Units Requested: 1 Unit			

MD Number



Physician Orders ADULT Order Set: Spinal Disc/ Reconstruction Surgery Admit Plan

[R] = will be ordered

Date

T= Today; N = Now (date and time ordered)

Time

	Laboratory (continued)				
	Prothrombin Time (PT/INR)	T;N, Routine, once, Type: Blood			
	Partial Thromboplastin Time (PTT)	T;N, Routine, once, Type: Blood			
Ι.	1 Urinalysis	T;N, Routine, once, Type: Urine, Nurse Collect			
[]] Urinalysis w/Reflex Microscopic	T;N, Routine, once, Type: Urine, Nurse Collect			
	Exam (GT and LEB)				
	Diagnostic Tests				
	NOTE: If not previously ordered on preadmission workup:				
] Electrocardiogram (EKG)	Start at: T;N, Priority: Routine, Transport: Portable			
] Chest 2VW Frontal & Lat	T;N, Routine, Stretcher			
] Spine Lumbar 2/3VW	T;N, Routine, Stretcher			
] Spine Thoracic 2VW	T;N, Routine, Stretcher			
] Spine Cerv 2VW	T;N, Routine, Stretcher			
] Spine Cerv 4+ or 5 Views	T;N, Routine, Stretcher			
	Consults/Notifications				
] Consult MD	T;N, Internal Medicine			
] Consult MD	T;N			

Physician's Signature