



Physician Orders PEDIATRIC: LEB ED Suspected Stroke Plan

LEB ED Suspected Stroke

Vital Signs

- ☒ Vital Signs
Stat Monitor and Record T,P,R,BP, q1h(std)

Food/Nutrition

- ☒ NPO
Start at: T;N

Patient Care

- ☒ Neurochecks
Stat, q1h x 4hours, if stable, decrease q2h
- ☒ Cardiopulmonary Monitor
T;N Stat, Monitor Type: CP Monitor
- ☒ Oxygen Sat Monitoring NSG
Stat, q2h(std)
- ☒ Intake and Output
Routine, q1h(std)
- ☒ IV Insert/Site Care LEB
Stat, Place two 20 gauge or larger catheter, if possible
- ☒ Bedside Glucose Nsg
Stat, q2h(std), If blood sugars between 60 - 150 mg/dL, may decrease to q4h.

Respiratory Care

- ☒ Oxygen Delivery
Stat, Special Instructions: Titrate to keep O2 sat at 92% or greater, Delivery method per RT/RN
- ☐ ISTAT POC (RT Collect)
- ☐ *T;N Stat once, Test Select BUN (ED Only) | Electrolytes | Glucose | Ionized calcium | VBG (DEF)**
- ☐ *T;N Stat once, Test Select CBG | BUN (ED Only) | Electrolytes | Glucose | Ionized calcium*

Continuous Infusion

- ☐ Sodium Chloride 0.9%
1,000 mL, IV, STAT, mL/hr
- ☐ D5NS
1,000 mL, IV, STAT, mL/hr
- ☐ D5 1/2NS
1,000 mL, IV, STAT, mL/hr

Laboratory

- ☐ Factor VIII Assay
STAT, T;N, Type: Blood, Nurse Collect





Physician Orders PEDIATRIC: LEB ED Suspected Stroke Plan

- ☐ C-Reactive Protein
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Crossmatch Units from Type and Screen-Pediatric
STAT, T;N
- ☐ Crossmatch Units from Type and Screen
STAT, T;N
- ☐ Transfuse PRBC <4 Months
STAT, T;N
- ☐ Transfuse PRBC's <4 Months-Pediatric
STAT, T;N
- ☐ Transfuse PRBC >4 Months
STAT, T;N
- ☐ Transfuse PRBC's >4 Months-Pediatric
STAT, T;N
- ☐ RBC Phenotype Ext, Ag Testing
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Antithrombin III Level
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Drug Screen Urine Stat LEB
STAT, T;N, Type: Urine, Nurse Collect
- If patient has had recent history of febrile illness, order Blood Culture below:(NOTE)*
- ☐ Blood Culture
STAT, T;N, once, Specimen Source: Peripheral Blood, Nurse Collect
- If patient is on aspirin at the time, order VERIFY NOW aspirin resistance test(NOTE)*
- ☐ Platelet Function Test
STAT, T;N, Type: Blood, Nurse Collect
- If patient is on enoxaparin, order Anti-Factor Xa for Heparin Monitoring below:(NOTE)*
- ☐ Anti-Factor Xa for Heparin Monitoring
STAT, T;N, Type: Blood, Nurse Collect
- ☒ BMP
STAT, T;N, Type: Blood, Nurse Collect
- ☒ CBC with Diff
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Sickle Cell Screen
STAT, T;N, Type: Blood, Nurse Collect
- ☐ ESR
STAT, T;N, Type: Blood, Nurse Collect





Physician Orders PEDIATRIC: LEB ED Suspected Stroke Plan

- ☐ ESR, (Erythrocyte Sedimentation Rate)
STAT, T;N, Type: Blood, Nurse Collect
- ☒ PT/INR
STAT, T;N, Type: Blood, Nurse Collect
- ☒ PTT
STAT, T;N, Type: Blood, Nurse Collect
- ☒ Fibrinogen Level
STAT, T;N, Type: Blood, Nurse Collect
- ☒ D-Dimer Quantitative
STAT, T;N, Type: Blood, Nurse Collect
- ☒ Hold Specimen
STAT, T;N, Type: Blood, Nurse Collect, Collection Comment: Collect extra red top tube
If possibility of pregnancy (female patient age 10 years or greater), place order below:(NOTE)*
- ☐ Pregnancy Screen Serum
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Type and Screen Pediatric
STAT, T;N, Nurse Collect
- ☐ Type and Screen
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Type and Screen <4 months(DAT included)
STAT, T;N, Nurse Collect
- ☐ Factor V Assay
STAT, T;N, Type: Blood, Nurse Collect
- ☐ Thrombin Time
STAT, T;N, Type: Blood, Nurse Collect

Diagnostic Tests

- ☐ CT Brain/Head W/WO Cont
T;N, Reason for Exam: CVA (Cerebrovascular Accident), Stat, Stretcher
Comments: Acute Stroke Protocol
- ☐ CT Brain/Head W Cont
T;N, Reason for Exam: CVA (Cerebrovascular Accident), Stat, Stretcher
Comments: Acute Stroke Protocol
- ☐ CT Brain/Head WO Cont
T;N, Reason for Exam: CVA (Cerebrovascular Accident), Stat, Stretcher
Comments: Acute Stroke Protocol
- ☐ CT Ang Head W/WO Cont W Imag Post Prc
T;N, Reason for Exam: CVA (Cerebrovascular Accident), Stat, Stretcher





Physician Orders PEDIATRIC: LEB ED Suspected Stroke Plan

Comments: Acute Stroke Protocol

- ☐ CT Ang Neck W/WO Cont W Imag Post Pro
T;N, Reason for Exam: CVA (Cerebrovascular Accident), Stat, Stretcher
Comments: Acute Stroke Protocol
- ☐ MRI Brain & Stem WO Cont
T;N, Reason for Exam: CVA (Cerebrovascular Accident), Stat, Stretcher
Comments: Acute Stroke Protocol
- ☐ MRA Head WO Cont
T;N, Stat, Stretcher
Comments: CVA, Acute Stroke Protocol
- ☐ MRA Neck WO Cont
T;N, Stat, Stretcher
Comments: CVA. Acute Stroke Protocol
- ☐ EKG
Start at: T;N, Priority: Stat, Reason: Other, specify, Stroke like symptoms

Consults/Notifications/Referrals

- ☐ Physician Group Consult
Routine, Group: ULPS Cardiology, Reason for Consult: Stroke like symptoms
- ☐ Physician Group Consult
Routine, Group: Semmes Murphy Clinic, Reason for Consult: Stroke like symptoms, Pediatric Neurosurgery
- ☐ Telemedicine Consult
- ☒ Notify Physician For Vital Signs Of
Notify: ED physician, Urine Output < 0.5 mL/kg/hr or > 3mL/kg/hr, Blood Glucose < 60, Blood Glucose > 150, Blood Pressure documented as low by Cerner limits.
- ☒ Physician Group Consult
Stat, Group: ULPS Neurology, Reason for Consult: Suspected stroke
- ☒ Physician Group Consult
Stat, Group: St. Jude Hematology, Reason for Consult: Suspected stroke

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

***Report Legend:**

DEF - This order sentence is the default for the selected order
GOAL - This component is a goal





Physician Orders PEDIATRIC: LEB ED Suspected Stroke Plan

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

