

## Physician Orders PEDIATRIC: LEB ENT Discharge Orders Plan

Orders Phase ets/Protocols/PowerPlans				
Initiate Powerplan Phase  Phase: LEB ENT Discharge Orders Phase, When to Initiate:				
IT Discharge Orders Phase				
sion/Transfer/Discharge				
Use for 23 hour observation and inpatient discharges only(NOTE)*				
Nursing Communication  Place order for Discharge in am if patient is stable. Pt is stable when pain is controlled, has not bleeding, and able to tolerate PO liquids. (DEF)*  Place order for Discharge in am after  Call in am for Discharge order.  Call for Discharge order at time.				
Use for SDS discharges only(NOTE)*				
Discharge When Meets Same Day Criteria  T;N				
Comments: References and discharge criteria are located on MOLLI.				
on				
Condition				
Stable				
Care				
DC All Lines				
Instruct/Educate  Instruct: Patient				
Discharge Instructions				
Activity: Up ad lib				
Discharge Instructions  Activity: Resume normal activity after 24 hours				
Discharge Instructions				
Activity: no strenuous activity for 2 weeks				
Discharge Instructions				
Diet: Diet as tolerated				
Discharge Instructions Other Instructions: Return to ENT Clinic as needed for any problems. T;N				
Follow Up Appointment  Clinic ULPS Otolaryngology				
Follow Up Appointment Clinic Other See Special Instructions, Other Instructions: Return to ENT Clinic.				
Follow Up Appointment Physician to See: PCP				
Follow Up Appointment				
Discharge Instructions				
Wound/Incision Care: Dressing Changes				
Discharge Instructions  Other Instructions: Notify MD for worsening condition including swelling, bleeding, drainage.				
es and/or Adenoidectomy				
Discharge Instructions  Other Instructions: Keep ears dry				
Discharge Instructions  Other Instructions: Use ear plugs or cotton ball with petroleum jelly when bathing, washing hair, of				



## Physician Orders PEDIATRIC: LEB ENT Discharge Orders Plan

	swimming			
	Discharge Instructions Other Instructions: Use ear drops as directed			
	Discharge Instructions Other Instructions: May have bloody drainage for 2-3 days and will gradually decrease			
	Discharge Instructions  Other Instructions: May return to school tomorrow			
	Discharge Instructions Other Instructions: Call for puslike drainage, temperature greater than 102 degrees or concerns.			
	Discharge Instructions Other Instructions: Adenoidectomy: Will have bloody drainage from nose that will eventually decrease. DO NOT blow nose for 48hours.			
	Discharge Instructions Other Instructions: Adenoidectomy: May return to school in 2-3 days.			
	Follow Up Appointment			
	Clinic/Location Other See Special Instructions, Post D/C 6 weeks, Other Instructions: Return ENT Clinic. (DEF)*			
	Clinic/Location Other See Special Instructions, Post D/C 2 weeks, Other Instructions: Return to ENT Clinic.			
Γ& <i>Α</i>				
	Discharge Instructions  Diet: Cool clear liquids today, soft diet for 2 days then advance			
	Discharge Instructions  Diet: Avoid citrus or tomato products			
	Discharge Instructions Other Instructions: Do not use a straw for 48 hours			
	Discharge Instructions  Diet: Encourage fluids, at least four 8 ounce servings/day			
	Discharge Instructions Other Instructions: Go to nearest ER for bright red bleeding or patient refusing to drink.			
	Discharge Instructions Other Instructions: Call doctor for temperature greater than 102 degrees or questions/concerns			
	Discharge Instructions  Activity: No rough play or sports/PE X 2 weeks  Comments: Child usually out of school for 1 week			
	Follow Up Appointment  Clinic/Location Other See Special Instructions, Post D/C 2 weeks, Other Instructions: Return to ENT  Clinic			
Tvmna	noplasty			
	Discharge Instructions  Wound/Incision Care: Keep dressing/ear cup on until tomorrow			
	Discharge Instructions  Wound/Incision Care: Keep site/ear clean and dry until follow up; may wash hair over sink with assistance			
	Discharge Instructions Wound/Incision Care: May change cotton ball as needed after cup removed			
	Discharge Instructions  Wound/Incision Care: Apply triple antibiotic ointment to incision 2-3 times daily			
	Discharge Instructions  Activity: No strenuous activity for 2 weeks or as otherwise directed			



## Physician Orders PEDIATRIC: LEB ENT Discharge Orders Plan

*Dono	rt Legend					
Date	Time	Physician's Signature	MD Number			
	Other Instructions: Call doctor for temperature greater than 102 degrees or questions/concerns Discharge Instructions Other Instructions: Use ear drops as directed					
	Discharge Instructions					
_	Discharge Instructions Other Instructions: Instruct patient to sneeze with mouth open					
_	Comments: No he	eavy lifting				

## \*Report Legend:

DEF - This order sentence is the default for the selected order

GOAL - This component is a goal

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order