



**Physician Orders ADULT: Watchman Pre Procedure Plan**

**Initiate Orders Phase**

**Care Sets/Protocols/PowerPlans**

- ☒ Initiate Powerplan Phase  
*Phase: Watchman Pre Procedure Phase, When to Initiate: \_\_\_\_\_*

**Watchman Pre Procedure Phase**

**Admission/Transfer/Discharge**

- ☒ Patient Status Initial Inpatient  
*T;N Admitting Physician: \_\_\_\_\_*  
*Reason for Visit: \_\_\_\_\_*  
*Bed Type: \_\_\_\_\_ Specific Unit: \_\_\_\_\_*  
*Care Team: \_\_\_\_\_ Anticipated LOS: 2 midnights or more*
- ☐ Notify Physician-Once  
*Notify: physician, Notify For: of room number upon arrival to unit*

**Food/Nutrition**

- ☐ NPO  
☐ *Instructions: NPO except for medications (DEF)\**  
☐ *Instructions: NPO except for medications, following clear liquid breakfast on day of procedure*

**Patient Care**

- ☐ Consent Signed For  
*Procedure: Watchman, T;N*
- ☐ Consent Signed For  
*Procedure: Left and Right heart cath, T;N*
- ☐ Consent Signed For  
*Procedure: TEE, T;N*
- ☐ Consent Signed For  
*Procedure: Emergent open heart surgery, T;N*
- ☒ Void Prior To Procedure
- ☐ Clipper Prep  
*bilateral groin, bilateral shoulder*
- ☐ Clipper Prep
- ☐ Indwelling Urinary Catheter Insert-Follow Removal Protocol  
*to be placed while in pre-procedural area*
- ☐ INT Insert/Site Care  
*q4day*

**Nursing Communication**

- ☒ Nursing Communication  
*Place copy of most recent Echo on chart.*
- ☐ Nursing Communication





### Physician Orders ADULT: Watchman Pre Procedure Plan

*Hold ACE I/ARB 48 hrs prior to procedure*

- ☐ Nursing Communication

*Hold Metformin 48 hrs prior to procedure*

- ☒ Nursing Communication

*Prior to procedure do not allow patient to have insulin, oral hypoglycemic, antiplatelet and anticoagulants. Refer to drug information resource for guidance on time recommended to hold medication prior to procedure.*

#### Continuous Infusion

- ☐ Sodium Chloride 0.9%  
*1,000 mL, IV, Routine, 50 mL/hr*
- ☐ Dextrose 5% in Water  
*1,000 mL, IV, Routine, 50 mL/hr*

#### Medications

- ☐ **+1 Hours** ceFAZolin  
*2 g, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose )*  
*Comments: Administer one hour or less prior to procedure*
- ☐ **+1 Hours** vancomycin  
*1 g, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose )*  
*Comments: Administer one hour or less prior to procedure*
- ☐ **+1 Hours** clindamycin  
*900 mg, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose )*  
*Comments: Administer one hour or less prior to procedure*
- ☐ **+1 Hours** LORazepam  
*1 mg, Injection, IV Push, OnCall, Routine, (for 1 dose )*  
*Comments: Administer one hour or less prior to procedure*

#### Laboratory

- ☐ CBC  
*Routine, T;N, once, Type: Blood*
- ☐ BMP  
*Routine, T;N, once, Type: Blood*
- ☐ CMP  
*Routine, T;N, once, Type: Blood*
- ☐ PT  
*Routine, T;N, once, Type: Blood*
- ☐ PTT  
*Routine, T;N, once, Type: Blood*
- ☐ INR  
*Routine, T;N, once, Type: Blood*

#### Diagnostic Tests





**Physician Orders ADULT: Watchman Pre Procedure Plan**



Electrocardiogram

*Start at: T;N, Priority: Stat, Reason: Arrhythmia/Dysrhythmia*

Date

Time

Physician's Signature

MD Number

**\*Report Legend:**

DEF - This order sentence is the default for the selected order

GOAL - This component is a goal

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

