



Physician Orders ADULT: Transfusion Packed Red Blood Cells, Actively Bleeding Plan

Initiate Orders Phase

Admission/Transfer/Discharge

- ☐ Patient Status Initial Outpatient
T;N, Attending Physician: _____
Reason for Visit: _____
Bed Type: _____ Specific Unit: _____
Outpatient Status/Service OP-Ambulatory Surgery

Care Sets/Protocols/PowerPlans

- ☒ Initiate Powerplan Phase
Phase: Transfusion PRBCs, Actively Bleeding Phase, When to Initiate: _____

Transfusion PRBCs Actively Bleeding Phase

Vital Signs

- ☒ Vital Signs
Monitor and Record T,P,R,BP, per Blood Transfusion policy

Patient Care

- ☐ INT Insert/Site Care
q4day
- ☐ PortACath Access
- ☒ Intake and Output
- R Consent Signed For
T;N, Procedure: Transfusion of Blood/Blood Products

Continuous Infusion

- ☐ Sodium Chloride 0.9%
250 mL, IV, Routine, (for 1 dose), 75 mL/hr

Medications

- ☐ acetaminophen
650 mg, Tab, PO, N/A, NOW, give prior to blood/blood product transfusion
- ☐ diphenhydramine
25 mg, Cap, PO, N/A, PRN, Routine, give prior to blood/blood product transfusion
- ☐ diphenhydramine
25 mg, Injection, IV Push, N/A, PRN, Routine, give prior to blood/blood product transfusion
- ☐ methylPREDNISolone sodium succinate
40 mg, Injection, IV Push, N/A, PRN, Routine
Comments: give prior blood/blood product transfusion
- ☐ furosemide
mg, Injection, IV Push, N/A, Routine

Laboratory

If no valid Type and Screen available, order Type and Crossmatch PRBC below. If valid Type and Screen order available, order Crossmatch Units from Type and Screen.(NOTE)*

- ☐ Type and Crossmatch PRBC
- ☐ STAT, T;N, 2 units, Type: Blood (DEF)*
 - ☐ STAT, T;N, 1 units, Type: Blood
 - ☐ Routine, T;N, 1 units, Type: Blood
 - ☐ Routine, T;N, 2 units, Type: Blood
- ☐ Crossmatch Units from Type and Screen
- ☐ STAT, T;N, 2 units (DEF)*
 - ☐ STAT, T;N, 1 units
 - ☐ Routine, T;N, 1 units
 - ☐ Routine, T;N, 2 units





Physician Orders ADULT: Transfusion Packed Red Blood Cells, Actively Bleeding Plan

One unit of packed red cells in adults will increase hemoglobin by 1g/dL and hematocrit by approximately 3%.(NOTE)*

- ☐ Transfuse PRBC's - Actively Bleeding
 - ☐ STAT, T;N, Unit(s): 2 units (DEF)*
 - ☐ STAT, T;N, Unit(s): 1 unit
 - ☐ STAT, T;N, Unit(s): 3 units
 - ☐ STAT, T;N, Unit(s): 4 units
- ☐ Blood Keep Ahead Order
 - ☐ Routine, T;N, 2 units (DEF)*
Comments: Keep Ahead orders are valid for 24 hours from the time of order placement.
 - ☐ Routine, T;N, 4 units
Comments: Keep Ahead orders are valid for 24 hours from the time of order placement.

Date	Time	Physician's Signature	MD Number
-------------	-------------	------------------------------	------------------

***Report Legend:**

DEF - This order sentence is the default for the selected order
 GOAL - This component is a goal
 IND - This component is an indicator
 INT - This component is an intervention
 IVS - This component is an IV Set
 NOTE - This component is a note
 Rx - This component is a prescription
 SUB - This component is a sub phase, see separate sheet
 R-Required order

