



Physician Orders PEDIATRIC: PED ED Sepsis Plan

PED ED Triage Orders Sepsis Phase

Non Categorized

Criteria: Step 1---Any three criteria or low BP and one other move to step 2. Criteria are based on vital signs (Temp, heart rate, respiratory rate, blood pressure) and also skin appearance, cap refill, and mental status. Step 2----If step one positive, if the patient has asthma, trauma, DKA, bronchiolitis---things that can make step 1 abnormal but not septic then stop. If the patient does NOT have one of these, move on to step 3. In the form this section is labeled "Peds Exclusion Diagnoses" Step 3----If has co-morbid conditions (central line, immunosuppression, sickle cell, transplant history etc) or if child looks ill, then has a positive screen and RN to contact MD. In the form this section is labeled "Peds Infection Screen"(NOTE)*

Patient Care

- ☒ INT Insert/Site Care
Stat, q2h(std), If no IV access available

Respiratory Care

- ☒ Oxygen-Nasal Cannula
Routine, Special Instructions: Titrate to keep O2 Sat \geq 92%. Wean to room air.
- ☒ ISTAT Blood Gases (RT Collect)
 - ☐ *Stat once, Preferred Specimen Type: Venous, Special Instructions: Test: Lactate, CG4 (DEF)**
 - ☐ *Stat once, Preferred Specimen Type: Capillary, Special Instructions: Test: Lactate*
 - ☐ *Stat once, Special Instructions: Test: ABG, Lactate, CG4*

PED ED Sepsis Phase

Patient Care

- ☒ INT Insert/Site Care
Stat, q2h(std), If no IV access available

Respiratory Care

- ☐ Oxygen-Nasal Cannula
Routine, Special Instructions: Titrate to keep O2 Sat \geq 92%. Wean to room air.
- ☐ ISTAT Blood Gases (RT Collect)
 - ☐ *Stat once, Preferred Specimen Type: Venous, Special Instructions: Test: Lactate, CG4 (DEF)**
 - ☐ *Stat once, Preferred Specimen Type: Capillary, Special Instructions: Test: Lactate*
 - ☐ *Stat once, Special Instructions: Test: ABG, Lactate, CG4*

Continuous Infusion

- ☐ NS Bolus
20 mL/kg, Injection, IV, once, STAT, (infuse over 15 min)
- ☐ NS Bolus
20 mL/kg, Injection, IV, once, STAT, (infuse over 30 min)
- ☐ NS Bolus
20 mL/kg, Injection, IV, N/A, Routine, (for 2 dose), (infuse over 15 min), Confirm need for additional doses with MD/LIP prior to administration.
- ☐ NS Bolus
20 mL/kg, Injection, IV, N/A, Routine, (for 2 dose), (infuse over 30 min), Confirm need for additional





Physician Orders PEDIATRIC: PED ED Sepsis Plan

doses with MD/LIP prior to administration.

Medications

- ☐ Empiric Treatment for Bloodstream Infections (reassess within 48 hours)(NOTE)*
 - ☐ vancomycin
15 mg/kg, Ped Injectable, IV Piggyback, once, STAT, Max dose: 1 gram
- ☐ LESS THAN 5 days hospitalization AND low risk for Multi-Drug Resistant Organisms(NOTE)*
 - ☐ cefotaxime
50 mg/kg, Injection, IV, once, STAT, Max dose: 1 gram
- ☐ cefTRIAXone
100 mg/kg, Injection, IV, once, STAT, Max dose: 2 grams
- ☐ GREATER THAN OR EQUAL TO 5 days hospitalization OR high risk for Multi-Drug Resistant Organisms(NOTE)*
 - ☐ cefTAZidime
50 mg/kg, Injection, IV, once, STAT, Max dose: 2 grams
- ☐ Suspected intra-abdominal focus of infection(NOTE)*
 - ☐ meropenem
20 mg/kg, Injection, IV, once, STAT, Max dose: 1 gram

Laboratory

- ☐ Blood Culture
 - ☐ *STAT, T;N, q5min x 2 occurrence, Specimen Source: Peripheral Blood, Nurse Collect (DEF)**
 - ☐ *STAT, T;N, q5min x 2 occurrence, Specimen Source: Line, Central, Nurse Collect*
- ☐ CBC with Diff
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ CRP
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ C-Reactive Protein
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ CMP
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ APTT
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ PT/INR
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ Lactate Level
STAT, T;N, once, Type: Blood, Nurse Collect
- ☐ Urinalysis w/Reflex Microscopic Exam
 - ☐ *STAT, T;N, once, Type: Urine, Nurse Collect (DEF)**
 - ☐ *STAT, T;N, once, Type: Urine, Catheterized, Nurse Collect*
- ☐ Urine Culture





Physician Orders PEDIATRIC: PED ED Sepsis Plan

- ☐ STAT, T;N, Specimen Source: Urine, Nurse Collect (DEF)*
- ☐ STAT, T;N, Specimen Source: Urine, Catheterized, Nurse Collect
- ☐ STAT, T;N, Specimen Source: Urine, Clean Catch, Nurse Collect
- ☐ CSF Culture and Gram Stain
STAT, T;N, Specimen Source: Cerebrospinal Fluid(CSF), Nurse Collect
- ☐ CSF Cell Count & Diff
STAT, T;N, once, Type: CSF, Nurse Collect
- ☐ CSF Profile
STAT, T;N, once, Type: CSF, Nurse Collect
- ☐ CSF Glucose
STAT, T;N, once, Type: CSF, Nurse Collect
- ☐ CSF Protein
STAT, T;N, once, Type: CSF, Nurse Collect
- ☐ Hold Specimen
STAT, T;N, once, Type: CSF, Nurse Collect

Diagnostic Tests

- ☐ Chest 1VW Frontal
T;N, Stat, Portable
- ☐ Chest 2VW Frontal & Lat
T;N, Stat, Portable

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

***Report Legend:**

DEF - This order sentence is the default for the selected order
 GOAL - This component is a goal
 IND - This component is an indicator
 INT - This component is an intervention
 IVS - This component is an IV Set
 NOTE - This component is a note
 Rx - This component is a prescription
 SUB - This component is a sub phase, see separate sheet
 R-Required order

