

	e Orders Phase Sets/Protocols/PowerPlans	
ш	Initiate Powerplan Phase	onchitis Phase, When to Initiate:
Δethm	na and Bronchitis Phase	onclinis Friase, writer to initiate
	Categorized	
	Add To Problem List	
_	T;N Problem: Asthma	
	Add To Problem List	
_	T;N Problem: Bronchitis	
	Add To Problem List	
_	T;N	
Admis	ssion/Transfer/Discharge	
$\overline{\mathbf{A}}$	Patient Status Initial Outpatient	
	T;N, Attending Physician:	
	Reason for Visit:	
	Bed Type:	Specific
_	Unit:	Outpatient Status/Service OP-OBSERVATION Services
	Patient Status Initial Inpatient	
	<i>T;N</i> , Admitting Physician:	
	Reason for Visit:	0 "" 11 "
	Bed Type:	Specific Unit:
	Care Team:	Anticipated LOS: 2
_	midnights or more	
	Notify Physician-Once	
	T;N, room number upon arri	val to unit
Vital S		
	Vital Signs	
	T;N, Monitor and Record T,I	P,R,BP, q4h(std)
Activit	•	
Ш	Bedrest	
	<i>T;N</i>	
Ш	Bedrest w/BRP	
	T;N	
Ш	Out Of Bed	
	T;N, Up Ad Lib	
ш	Out Of Bed	
Eood/I	T;N, with assistance	
	Nutrition	
	NPO Start at: T:N	
	Start at: T;N	
	Regular Adult Diet Start at: T:N	





	Clear Liquid Diet Start at: T;N
	Consistent Carbohydrate Diet Start at: T;N, 1800 Calorie
	Renal Diet Not On Dialysis Start at: T;N
	Renal Diet On Dialysis Start at: T;N
	American Heart Association Diet Start at: T;N
Patien	·
☑	Smoking Cessation Advice/Counseling T;N
	INT Insert/Site Care T;N,q4day
	Bedside Glucose Nsg T;N, achs
Respir	atory Care
	ABG- RT Collect T;N Stat once
	O2-BNC T;N, 2 L/min, Special Instructions: titrate to keep O2 sat =/> 92%
	O2-AFM
_	T;N, Special Instructions: titrate to keep O2 sat =/> 92%
Ш	O2-NRB
	T;N, 10 L/min, Special Instructions: titrate to keep O2 sat =/> 92% O2-SFM
	T;N, 10 L/min, Special Instructions: titrate to keep O2 sat =/> 92% O2-Venturi Mask
	T;N, Special Instructions: titrate to keep O2 sat =/> 92%
	O2 Sat-Spot Check (RT) T;N q-shift
	O2 Sat-Continuous Monitoring (RT) T;N Routine q4h(std)
	Chest Percussion (RT) T;N
	Peak Flow T;N Routine QDay
	Spirometry, bedside (Pulmonary Func Test) T:N
Contin	uous Infusion
	Sodium Chloride 0.9%
	1,000 mL, IV, Routine, 75 mL/hr





	Dextrose 5% with 0.45% NaCl 1,000 mL, IV, Routine, mL/hr
	Dextrose 5% in Water
	1,000 mL, IV, Routine, mL/hr NS KCI 20 mEq
	1,000 mL, IV, Routine, 75 mL/hr
	D5 1/2 NS KCI 10 mEq/L 1,000 mL, IV, Routine, 75 mL/hr
	D5W KCL 20 mEq/ L 1,000 mL, IV, Routine, 75 mL/hr
/ledica	ations
	VTE MEDICAL Prophylaxis Plan(SUB)*
	+1 Hours SOLUMedrol
	125 mg, Injection, IV, q6h, Routine
$\overline{\mathbf{A}}$	+1 Hours albuterol
_	2.5 mg, Inh Soln, NEB, q4h, Routine
$\overline{\mathbf{A}}$	+1 Hours albuterol
	2.5 mg, Inh Soln, NEB, q2h, PRN Wheezing, Routine
	+1 Hours albuterol
	180 mcg, MDI, INH, q6h, Routine, 180 mcg=2 puffs Comments: 180 mcg=2 puffs
	+1 Hours albuterol
_	180 mcg, MDI, INH, q2h, PRN Other, specify in Comment, Routine, 180 mcg=2
	puffs
_	Comments: PRN, Wheezing; 180 mcg=2 puffs
	+1 Hours ipratropium
	0.5 mg, Inh Soln, NEB, q4h, Routine
ш	+1 Hours ipratropium 0.5 mg, Inh Soln, NEB, q2h, PRN Wheezing, Routine
	+1 Hours ipratropium
_	34 mcg, MDI, INH, q6h, Routine, (34mcg =2puffs)
	+1 Hours ipratropium
	34 mcg, MDI, INH, q2h, PRN Wheezing, Routine, (34mcg = 2 puffs)
	+1 Hours albuterol-ipratropium
_	2 puff, MDI, INH, q6h, Routine
	+1 Hours Foradil Aerolizer
	12 mcg, MDI, INH, bid, Routine, (12 mcg = 1 Puff)
	+1 Hours fluticasone-salmeterol 250 mcg-50 mcg inhalation powder
	1 puff, MDI, INH, bid, Routine
	+1 Hours budesonide 360 mcg, MDI, INH, bid, Routine, (360 mcg = 2 puffs)
	+1 Hours montelukast
	10 mg, Tab, PO, QDay, Routine





	+1 Hours guaiFENesin extended release		
	1,200 mg, ER Tablet, PO, bid, Routine Insulin SENSITIVE Sliding Scale Plan(SUB)* Insulin STANDARD Sliding Scale Plan(SUB)* Insulin RESISTANT Sliding Scale Plan(SUB)*		
Labora	atory		
	CBC		
	Routine, T;N, once, Type: Blood BMP		
	Routine, T;N, once, Type: Blood CMP		
	Routine, T;N, once, Type: Blood		
	Magnesium Level Routine, T;N, once, Type: Blood		
	Phosphorus Level		
П	Routine, T;N, once, Type: Blood		
Ц	CK Routine, T;N, once, Type: Blood		
	Troponin-I		
	Routine, T;N, once, Type: Blood BNP		
П	Routine, T;N, once, Type: Blood		
ш	BNP Pro Routine, T;N, once, Type: Blood		
	Respiratory Culture and Gram Stain		
Diagno	Routine, T;N, Specimen Source: Sputum, Nurse Collect pstic Tests: Include Reason for Exam		
ŭ	EKG		
	Start at: T;N, Priority: Routine, Reason: Shortness of Breath		
П	Chest 2VW Frontal & Lat T;N, Reason for Exam: SOB(Shortness of Breath), Routine, Stretcher		
	Chest 1VW Frontal		
	T;N, Reason for Exam: SOB(Shortness of Breath), Routine, Portable		
H	CT Thorax WO Cont CT Thorax W Cont Plan(SUB)*		
Consu	Ilts/Notifications/Referrals		
	Consult MD		
	T;N, Reason for Consult: Pulmonary complications		
Date	Time Physician's Signature MD Number		

* 1 1 1 *



*Report Legend:

DEF - This order sentence is the default for the selected order

GOAL - This component is a goal

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

