

Plan Se	e Plan Description: Urology General Admit Plan election Display: Urology General Admit Plan pe: Medical n: 2				
Begin I	Effective Date: 12/11/2014 4:33 PM				
End Eff	fective Date: Current				
Availab	ole at: Behav Health				
	FAYETTE				
	GERMANTOWN				
	MECH				
	NORTH OLIVE BRANCH				
	SOUTH				
	UNIVERSITY				
JJohns Activat 12/11/1 12/11/1	omment: 11/05/2013 22109 Powerplan created from careset conversion by son 1-3-14 medications reviewed for conversion gap identified JAJ 1/14/14 ted plan into Production- TB5/15/14 Per Larry, change the freq. for antibiotics. F.W. 4 version to testing to make changes per CR-7492 to remove foley order, JJohnson 4 Changes made per CR-7492 Versioning back to PROD JJohnson 2-10-15 Patient order(s) updated per CR- 7709- T. Boatwright				
	Initiate Orders Phase Care Sets/Protocols/PowerPlans				
П	Initiate Powerplan Phase T;N, Phase: Urology General Admit Phase, When to Initiate:				
Urolog	y General Admit Phase				
	sion/Transfer/Discharge				
	Patient Status Initial Inpatient				
	T;N Admitting Physician:				
	Reason for Visit:				
	Bed Type:Specific Unit:				
	Care Team: Anticipated LOS: 2				
П	midnights or more				
ш	Patient Status Initial Outpatient				
	☐ T;N, Attending Physician:				
	Reason for Visit:Specific Unit: Bed Type:Specific Unit:				
	Outpatient Status/Service OP-OBSERVATION Services (DEF)*				
	Outpatient diatus/delvide of -Oboch VATION delvides (DCI)				
	T-M Attending Physician:				
	□ T;N, Attending Physician: Reason for Visit:				
	Bed Type: Specific Unit:				
	1				





	(Outpatient Status/Service OP-Ambulatory Surgery				
	lotify Phys	ician-Once				
		T;N, Notify of room number upon admission				
Vital Si	gns					
☑	Vital Sign	s T;N, Monitor and Record T,P,R,BP, q4h(std)				
Activity	y	, , ,				
	Bedrest	T;N				
	Bedrest w	/BRP T:N				
	Out Of Bed					
Food/N	lutrition	T;N, Up As Tolerated				
	NPO					
_		Start at: T;N				
	NPO	Start at: T;N, Instructions: NPO except for medications				
	Clear Liqu	·				
	Full Liquid	d Diet				
	Regular A					
Patient		Start at: T;N				
Patient						
	Elevate	T;N, Elevate Scrotum				
		Communication <i>T;N, do not remove foley catheter without contacting urology.</i>				
	Irrigate					
		<i>T;N, bladder, Irrigant: Normal Saline, PRN to keep urine clear</i> omy Tube Care				
	•	T;Ň, Nephrostomy Tube to dependent drainage				
	Ice Pack	Apply T;N, apply to scrotum				
	Ice Pack	Apply T;N, apply to perineal area				
	Dressing					
	Incentive	Spirometry NSG T:N 10 times per hour				





	Intake and Output			
	T;N, q8h(std), Strict Drain Care			
	T;N, JP to bulb suction			
	Drain Care T;N, JP to wall Suction, q8hrs. On 8 hrs, off 8 hrs			
	NGT			
	T;N, Suction Strength: Low Continuous			
	Instruct/Educate T;N, Provide Foley Leg Bag Teaching			
	Bedside Glucose Nsg T;N, Routine, achs			
Medica				
	+1 Hours B & O Supprettes 15-A			
	1, Supp, PR, q8h, PRN Bladder Spasm, Routine			
	+1 Hours bicalutamide 50 mg, Tab, PO, QDay, Routine			
	+1 Hours oxybutynin			
П	5 mg, Tab, PO, q8h, PRN Bladder Spasm, Routine			
_	+1 Hours phenazopyridine 200 mg, Tab, PO, tid, Routine			
	+1 Hours tamsulosin			
	0.4 mg, Cap, PO, hs, Routine+1 Hours leuprolide 7.5 mg/month subcutaneous injection, extended release			
	7.5 mg, Injection, Subcutaneous, once, Routine			
	+1 Hours finasteride 5 mg, Tab, PO, QDay, Routine			
	+1 Hours bacitracin 500 units/g topical ointment			
	1 application, Ointment, TOP, tid			
П	+1 Hours ampicillin 1 g, Injection, IV Piggyback, OnCall, Routine, (for 1 dose)			
_	Comments: on call to OR			
	+1 Hours ampicillin 1 g, Injection, IV Piggyback, q6h, Routine			
	+1 Hours ceFAZolin			
	1 g, IV Piggyback, IV Piggyback, OnCall, Routine, (for 1 dose) Comments: on call to OR			
	clindamycin			
	600 mg, IV Piggyback, IV Piggyback, OnCall, Routine, (for 1 dose) Comments: on call to OR			
	+1 Hours ceFAZolin			





	1 g, Injection, IV Piggyback, q6h, Routine
	+1 Hours clindamycin
	600 mg, IV Piggyback, IV Piggyback, q8h, Routine +1 Hours erythromycin
	333 mg, DR Tablet, PO, bid, (for 14 day)
	gentamicin
	80 mg, IV Piggyback, IV Piggyback, OnCall, Routine, (for 1 dose) Comments: On call to OR
	+1 Hours neomycin
	1 g, Tab, PO, q6h, Routine, (for 3 dose)
	+1 Hours metroNIDAZOLE 500 mg, IV Piggyback, IV Piggyback, OnCall, Routine, (for 1 dose) Comments: On call to OR
	+1 Hours metroNIDAZOLE
_	500 mg, IV Piggyback, IV Piggyback, q6h, Routine
	+1 Hours nitrofurantoin
	100 mg, Cap, PO, bid, Routine +1 Hours sulfamethoxazole-trimethoprim DS
	160 mg, Tab, PO, q12h, 160mg=1 DS TAB
	VTE Other SURGICAL Prophylaxis Plan(SUB)*
	+1 Hours acetaminophen
_	650 mg, Tab, PO, q6h, PRN Pain, Mild (1-3), Routine
	+1 Hours acetaminophen-HYDROcodone 325 mg-5 mg oral tablet 1 tab, Tab, PO, q4h, PRN Pain, Moderate (4-7), Routine
	+1 Hours ketorolac
	15 mg, Injection, IV Push, q6h, PRN Pain, Moderate (4-7), Routine, (for 24 hr)
ш	+1 Hours morphine 1 mg, Inj, IV Push, q3h, PRN Pain, Severe (8-10), Routine
	PCA - MorPHINE Protocol Plan (Adult)(SUB)*
	PCA - HYDROmorphone Protocol Plan (Adult)(SUB)*
	+1 Minutes magnesium sulfate
_	2 g, Injection, IV Piggyback, OnCall, Routine, (for 1 dose) Comments: On call to OR
	+1 Hours potassium chloride 20 mEq, IV Piggyback, IV Piggyback, OnCall, Routine, (for 1 dose) Comments: On call to OR
	+1 Hours diphenhydrAMINE 25 mg, Cap, PO, q6h, PRN Itching, Routine
	+1 Hours diphenhydrAMINE
	25 mg, Injection, IV Push, q6h, PRN Itching, Routine
	+1 Hours temazepam





	15 mg, Cap, PO, hs, PRN Sleep, Routine
	+1 Hours zolpidem
_	5 mg, Tab, PO, hs, PRN Sleep, Routine
	+1 Hours bisacodyl
	10 mg, DR Tablet, PO, once
	+1 Hours docusate
	100 mg, Cap, PO, bid, Routine +1 Hours famotidine
_	20 mg, Tab, PO, bid, Routine
	+1 Hours famotidine
_	20 mg, Injection, IV Push, q12h, Routine
	+1 Hours ondansetron
	4 mg, Injection, IV Push, once
	+1 Minutes metoclopramide
	10 mg, Tab, PO, q6h, PRN Nausea/Vomiting, Routine
ч	+1 Hours metoclopramide 10 mg, Injection, IV Push, q6h, PRN Nausea/Vomiting, Routine
	+1 Hours sodium biphosphate-sodium phosphate
_	15 mL, Oral Soln, PO, q6h, Routine, (for 2 dose)
_	ostic Tests: Include Reason for Exam
	Abd Sing AP VW
П	T;N, Routine, Stretcher CT Abdomen W Cont Plan(SUB)*
	CT Pelvis W Cont Plan(SUB)*
	CT Abdomen WO Cont
_	T;N, Routine, Stretcher
	CT Pelvis WO Cont
	T;N, Routine, Stretcher
	CT Abdomen & Pelvis W/Cont Plan(SUB)*
	CT Abdomen and Pelvis WO Cont
	Urethrocystogram Retrograde
	T;N, Routine, Stretcher
	US Abd Comp
П	T;N, Routine, Stretcher
ш	US Retroperitoneal B Scan/Real Time Comp T;N, Routine, Stretcher
Consu	Ilts/Notifications/Referrals
$\overline{\mathbf{A}}$	Notify Physician For Vital Signs Of
	T;N, BP Systolic > 160, BP Diastolic > 90, BP Systolic < 90, Celsius Temp >
	38.6, Heart Rate > 110, Heart Rate < 60, Resp Rate > 25, Resp Rate < 14, Blood



	Glucose < 60, Blood Glucose > 400			
☐ Pharr	macy Consult-Aminogly <i>T;N, Routine, qam</i> ,	rcoside Dosing gentamicin dosing		
 Date	Time	Physician's Signature	MD Number	
Date	Time	i riysiciari s Signature	MD Number	
GOAL - This		ault for the selected order		
	mponent is an intervent	ion		
	mponent is an IV Set			
	component is a note aponent is a prescriptio	n		
	mponent is a sub phas			

