



## Physician Orders ADULT: Wound Care Treatment Plan

### Initiate Orders Phase

#### Care Sets/Protocols/PowerPlans

- ☒ Initiate Powerplan Phase

Phase: *Wound Care Treatment Phase, When to Initiate:* \_\_\_\_\_

### Wound Care Treatment Phase

#### Patient Care

- ☐ Special Bed Request  
*bed with low air-loss mattress, use blue dry flow pads only (DEF)\**  
*Type of Bed: Wound-Adult, with standard foam mattress*
- ☐ Turn  
*Routine, q2h(std)*
- ☐ Elevate Head Of Bed  
*less than 30 degrees as medically tolerated except for meals*
- ☐ Elevate  
*heels off mattress with pillows under calves*
- ☐ Heel Boots Apply
- ☐ Negative Pressure Wound Therapy

Site: \_\_\_\_\_

Location: \_\_\_\_\_

Suction:

- ☐ Continuous Suction
- ☐ Intermittent Suction

Pressure Setting mmHg: \_\_\_\_\_

Suction Interval # mins ON: \_\_\_\_\_

Suction Interval # mins OFF: \_\_\_\_\_

Instill Therapy- Suction# mins: \_\_\_\_\_

Instill Therapy- Instill# mins: \_\_\_\_\_

Type of Vacuum Assisted Closure Device:

- ☐ Negative Pressure Wound Therapy
- ☐ Negative Pressure w/Instillation Therapy

Wound Dressing Kit:

- ☐ Gauze Small
- ☐ Gauze Medium
- ☐ Gauze Large
- ☐ Foam Small
- ☐ Foam Medium
- ☐ Foam Large





**Physician Orders ADULT: Wound Care Treatment Plan**

Dressing Change Frequency

- ☐ q M/W/F
- ☐ q M/Th
- ☐ q Tu/F

Y-Connector

- ☐ Yes
- ☐ No

Foam bridging

- ☐ Yes
- ☐ No

Wound contact layer

- ☐ Non-adherent gauze
- ☐ Silver contact layer
- ☐ Mepitel

Peri wound contact layer

- ☐ Skin Sealant no sting
- ☐ Skin Sealant regular

Irrigant for Install Vac:

- ☐ Prontosan
- ☐ Sulfamylon (requires Pharmacy Order)

- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_





**Physician Orders ADULT: Wound Care Treatment Plan**

- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Wound Care  
Frequency: \_\_\_\_\_, Site of Wound: \_\_\_\_\_
- ☐ Ostomy Care
- ☐ Ostomy Care

**Medications**

- ☐ **+1 Hours** vitamin A & D topical ointment
  - ☐ 1 application, Ointment, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Ointment, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Ointment, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** vitamin A & D topical ointment  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** Aquaphor topical ointment
  - ☐ 1 application, Ointment, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Ointment, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Ointment, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** Aquaphor topical ointment  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** mupirocin 2% topical ointment
  - ☐ 1 application, Ointment, TOP, qid, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_





**Physician Orders ADULT: Wound Care Treatment Plan**

- ☐ 1 application, Ointment, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Ointment, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** mupirocin 2% topical ointment  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** cadexomer iodine 0.9% topical gel
  - ☐ 1 application, Gel, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Gel, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Gel, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** cadexomer iodine 0.9% topical gel  
1 application, Gel, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** calamine topical lotion
  - ☐ 1 application, Lotion, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Lotion, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Lotion, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** calamine topical lotion  
1 application, Lotion, TOP, qid, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** sodium hypochlorite 0.125% topical solution
  - ☐ 1 application, Topical Soln, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Topical Soln, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Topical Soln, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** sodium hypochlorite 0.125% topical solution  
1 application, Topical Soln, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_





**Physician Orders ADULT: Wound Care Treatment Plan**

- ☐ **+1 Hours** sodium hypochlorite 0.25% topical solution
  - ☐ 1 application, Topical Soln, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Topical Soln, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Topical Soln, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** sodium hypochlorite 0.25% topical solution  
1 application, Topical Soln, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** sodium hypochlorite 0.5% topical solution
  - ☐ 1 application, Topical Soln, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Topical Soln, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Topical Soln, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** sodium hypochlorite 0.5% topical solution  
1 application, Topical Soln, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** ammonium lactate 12% topical lotion
  - ☐ 1 application, Lotion, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Lotion, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Lotion, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** ammonium lactate 12% topical lotion  
1 application, Lotion, TOP, prn, PRN Other, specify in Comment, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** metroNIDAZOLE 0.75% topical gel
  - ☐ 1 application, Gel, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Gel, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Gel, TOP, tid, Routine





**Physician Orders ADULT: Wound Care Treatment Plan**

- Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** metroNIDAZOLE 0.75% topical gel  
1 application, Gel, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** metroNIDAZOLE 0.75% topical cream
- ☐ 1 application, Cream, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** metroNIDAZOLE 0.75% topical cream  
1 application, Cream, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** metroNIDAZOLE 1% topical cream
- ☐ 1 application, Cream, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** metroNIDAZOLE 1% topical cream  
1 application, Cream, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** miconazole 2% topical cream
- ☐ 1 application, Cream, TOP, QDay, Routine (DEF)\*
- ☐ 1 application, Cream, TOP, bid, Routine
- ☐ 1 application, Cream, TOP, tid, Routine
- ☐ **+1 Hours** miconazole 2% topical cream  
1 application, Cream, TOP, prn, PRN Other, specify in Comment, Routine
- ☐ **+1 Hours** miconazole 2% topical powder
- ☐ 1 application, Powder, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Powder, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Powder, TOP, tid, Routine





**Physician Orders ADULT: Wound Care Treatment Plan**

- Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** miconazole 2% topical powder  
1 application, Powder, TOP, prn, PRN Other, specify in Comment, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** nystatin 100,000 units/g topical powder  
☐ 1 application, Powder, TOP, QDay, Routine (DEF)\*  
 Comments: Apply to: \_\_\_\_\_  
☐ 1 application, Powder, TOP, bid, Routine  
 Comments: Apply to: \_\_\_\_\_  
 1 application, Powder, TOP, tid, Routine  
 Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** nystatin 100,000 units/g topical powder  
1 application, Powder, TOP, prn, PRN Other, specify in Comment, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** resorcinol 2% topical ointment  
1 application, Ointment, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** resorcinol 2% topical ointment  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** collagenase 250 units/g topical ointment  
☐ 1 application, Ointment, TOP, QDay, Routine (DEF)\*  
 Comments: Apply to: \_\_\_\_\_  
☐ 1 application, Ointment, TOP, bid, Routine  
 Comments: Apply to: \_\_\_\_\_  
☐ 1 application, Ointment, TOP, tid, Routine  
 Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** collagenase 250 units/g topical ointment  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** Maggots  
☐ 1 each, Device, TOP, q48h, Routine (DEF)\*  
 Comments: Apply to: \_\_\_\_\_  
☐ 1 each, Device, TOP, q72h, Routine  
 Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** silver sulfADIAZINE topical  
☐ 1 application, Cream, TOP, QDay, Routine (DEF)\*





**Physician Orders ADULT: Wound Care Treatment Plan**

- Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** silver sulfADIAZINE topical  
1 application, Cream, TOP, prn, PRN Wound Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** silver nitrate topical stick
- ☐ 1 application, Swab, TOP, once, Routine, T;N (DEF)\*  
Comments: WOC RN apply to: \_\_\_\_\_
- ☐ 1 application, PRN, Routine  
Comments: WOC RN apply to: \_\_\_\_\_
- ☐ **+1 Hours** lidocaine topical 2% gel
- ☐ 1 application, Gel, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Gel, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Gel, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** lidocaine topical 2% gel  
1 application, Gel, TOP, prn, PRN Other, specify in Comment, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** triamcinolone 0.1% topical ointment
- ☐ 1 application, Ointment, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Ointment, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Ointment, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** triamcinolone 0.1% topical ointment  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** triamcinolone 0.1% topical cream
- ☐ 1 application, Cream, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_







### Physician Orders ADULT: Wound Care Treatment Plan

- ☐ 1 application, Cream, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ 1 application, Cream, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** triamcinolone 0.1% topical cream  
1 application, Cream, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** balsam Peru/castor oil/trypsin topical
  - ☐ 1 application, Ointment, TOP, QDay, Routine (DEF)\*  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Ointment, TOP, bid, Routine  
Comments: Apply to: \_\_\_\_\_
  - ☐ 1 application, Ointment, TOP, tid, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** balsam Peru/castor oil/trypsin topical  
1 application, Ointment, TOP, prn, PRN Skin Care, Routine  
Comments: Apply to: \_\_\_\_\_
- ☐ **+1 Hours** mafenide 5% topical solution  
1 application, IRR Soln, TOP, prn, PRN Wound Care, Routine, Change q48hrs  
Comments: Apply to: \_\_\_\_\_

#### Laboratory

- ☐ Wound Culture and Gram Stain  
Routine, T;N, Specimen Source: Wound, Nurse Collect
- ☐ Wound Culture and Gram Stain  
Routine, T;N+3, Specimen Source: Wound, Nurse Collect
- ☐ Wound Culture and Gram Stain  
Routine, T;N+6, Specimen Source: Wound, Nurse Collect
- ☐ Wound Culture and Gram Stain  
Routine, T;N+9, Specimen Source: Wound, Nurse Collect
- ☐ Wound Culture and Gram Stain  
Routine, T;N+12, Specimen Source: Wound, Nurse Collect
- ☐ Wound Culture and Gram Stain  
Routine, T;N+15, Specimen Source: Wound, Nurse Collect
- ☐ Hgb A1C  
Routine, T;N, once, Type: Blood
- ☐ Prealbumin  
Routine, T;N, once, Type: Blood



