



Physician Orders ADULT: Bronchoscopy Pre Procedure Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase
T;N, Phase: *Bronchoscopy Pre Procedure Phase, When to Initiate:* _____

Bronchoscopy Pre Procedure Phase

Admission/Transfer/Discharge

- Patient Status Initial Outpatient
T;N Attending Physician: _____
Reason for Visit: _____
Bed Type: _____ Specific Unit: _____
Outpatient Status/Service: Outpatient Status/Service OP-Ambulatory Surgery
- Notify Physician-Once
T;N, Notify: *physician, of room number on arrival to unit*

Food/Nutrition

- NPO
Start at: T;2359
Comments: *after midnight*
- NPO
Start at: T;N
Comments: *after clear liquid breakfast*

Patient Care

- Consent Signed For
T;N, Procedure: *Numb nose and throat, pass a bronchoscope into the airway and lungs to look and collect samples as needed.*
- Consent Signed For
T;N, Procedure: *Pass Bronchoscope through endotracheal/tracheostomy tube to look and collect samples as needed.*
- GI Lab Request To Schedule
T;N, Procedure: *Bronchoscopy*
- GI Lab Request To Schedule
T+1, Procedure: *Bronchoscopy*
- Bedside Bronch Setup
T;N Routine
- IV Insert/Site Care
T;N, q4day

Continuous Infusion

- Sodium Chloride 0.9%
1,000 mL, IV, 20 mL/hr
Comments: *to keep vein open; 1 bag(1000cc) only is to be dispensed and infuse*
- Dextrose 5% in Water
1,000 mL, IV, Routine, 20 mL/hr, 1 bag





Physician Orders ADULT: Bronchoscopy Pre Procedure Plan

Comments: to keep vein open

- NaCl 0.45%
1,000 mL, IV, Routine, 20 mL/hr, 1 bag

Medications

- Adult Procedural Sedation Plan(SUB)*
- +1 Hours** morphine
5 mg, Injection, IM, OnCall
- +1 Hours** morphine
10 mg, Injection, IM, OnCall, Routine
- +1 Hours** ondansetron
4 mg, Injection, IM, OnCall, Routine
- +1 Hours** glycopyrrolate
0.2 mg, Injection, IM, OnCall, Routine, (for 1 dose)
- +1 Hours** acetaminophen-HYDROcodone 325 mg-5 mg oral tablet
1 tab, Tab, PO, N/A
Comments: 1 hour prior to bronchoscopy.
- +1 Hours** lidocaine 4% inj
2.5 mL, Injection, NEB, N/A
Comments: Pre-med for bronchoscopy.
- +1 Hours** fentaNYL
100 mcg, Injection, IV Push, N/A
Comments: To be given in Bronch Lab on MD Order ONLY
- +1 Hours** fentaNYL
50 mcg, Injection, IV Push, N/A, Routine, To be given in Bronch Lab
Comments: To be given in Bronch Lab on MD Order ONLY
- +1 Hours** midazolam
2.5 mg, Injection, IV Push, q5min, PRN Sedation, (for 2 dose)
Comments: To be given in Bronch Lab on MD Order ONLY
- +1 Hours** lidocaine 4% mucous membrane solution
1 application, Kit, TOP, N/A, Routine
Comments: apply to pharynx in Bronch Lab
- +1 Hours** ondansetron
4 mg, Injection, IM, q6h, PRN Nausea/Vomiting

Laboratory

Order laboratory procedures if no preadmit labs have been ordered.(NOTE)*

- CBC
Routine, T;N, once, Type: Blood
- BMP
Routine, T;N, once, Type: Blood
- CMP



