

## Physician Orders PEDIATRIC: LEB ENT Outpatient Surgery Post Op Plan

	Orders Phase ets/Protocols/PowerPlans					
$\square$	_					
_	Phase: LEB ENT OP Surg Postop Phase, When to Initiate:					
	NT Outpatient Surgery Post Op Phase					
Admiss	sion/Transfer/Discharge					
	Return Patient to Room					
Conditi						
	Condition					
Vital Si						
☑	Vital Signs  Manitor and Booard T.D.B.B.D. neet on					
Activity	Monitor and Record T,P,R,BP, post op					
	Activity As Tolerated					
_	Up Ad Lib					
Food/N	lutrition					
	NPO					
$\overline{\mathbf{A}}$	Clear Liquid Diet					
	Start at: T;N					
Patient	Care					
$\overline{\mathbf{Z}}$	Advance Diet As Tolerated					
	start clear liquids and advance to soft diet as tolerated.					
	Encourage PO Fluids					
	IV Discontinue When Tolerating PO					
	IV Discontinue When Bag Complete					
	IV Discontinue					
	Routine, prior to discharge					
	Elevate Head Of Bed					
П	30 degrees					
	Cold Apply  Neck, ICE Collar, Routine					
$\overline{\mathbf{Q}}$	Dressing Care					
	Routine, Action: Change, PRN, drip pad (DEF)*					
	Routine, Action: Reinforce Only, PRN					
	Trach Care					
	Routine, q-shift					
	Suction Set Up					
_	Routine, Yankeur suction at bedside for patient use.					
Ш	Suction Patient					
	q2h(std), PRN, Suction: Nasal (DEF)*					
	$\square$ q2h(std), PRN, Suction: Oral					
	q2h(std), PRN, Suction: Trach					
$\overline{\mathbf{Z}}$	O2 Sat Spot Check-NSG					
_	with vital signs					
$\overline{\mathbf{Z}}$	O2 Sat Monitoring NSG					
$\overline{\mathbf{C}}$	Cardiopulmonary Monitor					



## Physician Orders PEDIATRIC: LEB ENT Outpatient Surgery Post Op Plan

	Routine, Monitor Type: CP Monitor
	DC CP Monitor
	When ALL Criteria met: No NG-Tube, No PCA, No Chest Tube, No Sepsis Alert notified, PEWS of 0
	and 24 hour post op.
	atory Care
	Oxygen Delivery
Contin	Special Instructions: Titrate to keep O2 Sat greater than or equal to 92%. Wean to room air. uous Infusion
	LR
_	1,000 mL, IV, Routine, mL/hr
	Sodium Chloride 0.9%
	1,000 mL, IV, Routine, mL/hr
Medica	ations
	acetaminophen
	$\square$ 325 mg, Tab, PO, q4h, PRN Mild Pain or Fever, Max Dose = 75 mg/kg/day up to 4g/day (DEF)*
	80 mg, Chew tab, PO, q4h, PRN Mild Pain or Fever, Routine, Max Dose = 75 mg/kg/day up to
	4g/day
	$\square$ 10 mg/kg, Liq, PO, q4h, PRN Mild Pain or Fever, Routine, Max Dose = 75 mg/kg/day up to 4g/day
	acetaminophen
	10 mg/kg, Supp, PR, q4h, PRN Mild Pain or Fever, Routine, May give PR if unable to take PO. Max
	Dose = 75 mg/kg/day up to 4g/day
	ibuprofen
	10 mg/kg, Oral Susp, PO, q6h, PRN Pain, Mild or Fever, Max dose = 600 mg, Pain or Fever unrelieved by acetaminophen (DEF)*
	200 mg, Tab, PO, q6h, Pain, Mild or Fever, Pain or Fever unrelieved by acetaminophen
	+1 Hours acetaminophen-HYDROcodone 325 mg-7.5 mg/15 mL oral solution
	0.15 mg/kg, Elixir, PO, q6h, PRN Pain, Moderate (4-7), Routine, (for 5 day ), (5 mL = 2.5 mg HYDROcodone), Max dose = 10mg
	+1 Hours acetaminophen-HYDROcodone 325 mg-5 mg oral tablet
	1 tab, Tab, PO, q4h, PRN Pain, Moderate (4-7), Routine, (for 5 day ), (1 tab = 5 mg
	HYDROcodone),Max dose = 10 mg
	+1 Hours ondansetron
	$\square$ 0.1 mg/kg, Oral Susp, PO, q8h, PRN Nausea/Vomiting, Routine, Max dose = 8mg (DEF)*
_	4 mg, Orally Disintegrating Tab, PO, q8h, PRN Nausea/Vomiting, Routine
	+1 Hours ondansetron
Canaul	0.1 mg/kg, Ped Injectable, IV Push, q8h, PRN Nausea/Vomiting, Routine, Max dose = 8 mg
Consu	Its/Notifications/Referrals
ш	Notify Physician-Continuing  Notify For: of O2 sat less than 90%, temperature 38.0 degrees or greater, nausea/vomiting, stridor,
	or signs/symptoms of surgical site infection
	Notify Physician-Continuing
	Notify Physician-Once
	Notify Resident-Continuing
	Notify For: of O2 sat less than 90%, temperature 38.0 degrees or greater, nausea/vomiting, stridor, or signs/symptoms of surgical site infection
	Notify Resident-Continuing
	Notify Resident-Once
LEB EN	T Outpatient Surgery Post Op Plan 40602 PP QM0109 Rev101718 Page 3 of 4



## Physician Orders PEDIATRIC: LEB ENT Outpatient Surgery Post Op Plan

Date	Time	Physician's Signature	MD Number
*Report Legend: DEF - This order se	ntence is the default for the s	elected order	
GOAL - This compo			
IND - This compone INT - This compone			
IVS - This compone			
NOTE - This compo Rx - This componer			
•	ent is a prescription ent is a sub phase, see sepai	rate sheet	
R-Required order	,,		