



**Physician Orders PEDIATRIC: LEB ED Respiratory Sx w/o Hx Asthma Plan**

**LEB ED Triage Orders Resp Sx wo Asthma**

**Non Categorized**

Criteria: Patients < 18 years of age, with respiratory distress without a known history or diagnosis of asthma.(NOTE)\*

**Vital Signs**

- Vital Signs  
*T;N, Stat Monitor and Record T,P,R,BP, per ED policy*

**Food/Nutrition**

- NPO  
*Start at: T;N*

**Patient Care**

- O2 Sat Monitoring NSG  
*T;N, q2h(std)*
- Cardiopulmonary Monitor  
*T;N Stat, Monitor Type: O2 Monitor*

**Respiratory Care**

- Oxygen Delivery  
*T;N, % 40%, Special Instructions: Titrate to keep O2 sat at 92% or greater, Delivery method per RT/RN*

**LEB ED Respiratory Sx w/o Hx Asthma Ph**

**Non Categorized**

- Powerplan Open

**Patient Care**

- Nursing Communication  
*T;N, deep nasal suction for patients less than one year, PRN for congestion*
- IV Insert/Site Care LEB  
*T;N, Stat, q2h(std)*

**Respiratory Care**

- ISTAT POC (RT Collect)
  - T;N Stat once, Test Select Arterial Blood Gas (DEF)\**
  - T;N Stat once, Test Select Venous Blood Gas*
  - T;N Stat once, Test Select BUN (ED Only)*

**Continuous Infusion**

- Sodium Chloride 0.9% Bolus
  - 20 mL/kg, IV, once, STAT, ( infuse over 15 min ), (Bolus) (DEF)\**
  - 10 mL/kg, IV, once, STAT, ( infuse over 15 min ), (Bolus)*
  - 10 mL/kg, IV, once, STAT, ( infuse over 30 min ), (Bolus)*
  - 20 mL/kg, IV, once, STAT, ( infuse over 30 min ), (Bolus)*





**Physician Orders PEDIATRIC: LEB ED Respiratory Sx w/o Hx Asthma Plan**

- Sodium Chloride 0.9%  
1,000 mL, IV, STAT, mL/hr
- D5 1/2NS  
1,000 mL, IV, STAT, mL/hr
- D5 1/4 NS  
1,000 mL, IV, STAT, mL/hr
- D5 1/2 NS KCl 20 mEq/L  
1,000 mL, IV, STAT, mL/hr
- D5 1/4 NS KCl 20 mEq/L  
1,000 mL, IV, STAT, mL/hr

**Medications**

**Analgesics/antipyretics**

- acetaminophen
  - 15 mg/kg, Liq, PO, once, STAT, Max Dose = 75 mg/kg/day up to 4g/day (DEF)\*
  - 325 mg, Tab, PO, once, STAT, Max Dose = 75 mg/kg/day up to 4g/day
- acetaminophen
  - 15 mg/kg, Supp, PR, once, STAT, Max Dose = 75 mg/kg/day up to 4g/day (DEF)\*
  - 325 mg, Tab, PO, once, STAT, Max Dose = 75 mg/kg/day up to 4g/day

**Respiratory Medications**

FOR PATIENTS LESS THAN 20 KG(NOTE)\*

- albuterol (MDI)  
6 puff, MDI, INH, once, STAT, 90 mcg = 1 puff  
Comments: administer via spacer/mask
  - albuterol 0.5% inhalation solution.  
2.5 mg, Inh Soln, NEB, once, STAT, (0.5 mL = 2.5 mg), FOR CONTINUOUS NEBULIZATION (DEF)\*  
5 mg, Inh Soln, NEB, once, STAT, (1 mL = 5 mg), FOR CONTINUOUS NEBULIZATION
  - ipratropium  
0.5 mg, Inh Soln, NEB, once, STAT, (2.5 mL = 0.5 mg)
  - racpinephrine 2.25% inhalation solution  
0.25 mL, Inh Soln, NEB, once, STAT
- FOR PATIENTS GREATER THAN 20 KG(NOTE)\*
- albuterol (MDI)  
12 puff, MDI, INH, once, STAT, (90 mcg = 1 puff)  
Comments: administer via spacer/mask
  - albuterol 0.5% inhalation solution.
    - 5 mg, Inh Soln, NEB, once, STAT, (1 mL = 5 mg), FOR CONTINUOUS NEBULIZATION (DEF)\*
    - 15 mg, Inh Soln, NEB, once, STAT, (3 mL = 15 mg), FOR CONTINUOUS NEBULIZATION





**Physician Orders PEDIATRIC: LEB ED Respiratory Sx w/o Hx Asthma Plan**

- ipratropium  
*0.5 mg, Inh Soln, NEB, once, STAT, (2.5 mL = 0.5 mg)*
- racepinephrine 2.25% inhalation solution  
*0.25 mL, Inh Soln, NEB, once, STAT*

**Antibacterial Agents**

- azithromycin  
*10 mg/kg, Susp, PO, once, STAT, Max dose = 500 mg*
- azithromycin  
*500 mg, Tab, PO, once, STAT*
- +1 Hours** cefTRIAxone  
*50 mg/kg, Ped Injectable, IV, once, Routine, Max dose= 2 grams*
- Zinacef  
*50 mg/kg, Ped Injectable, IV Piggyback, once, STAT, Max dose = 1.5 grams*
- clindamycin  
*10 mg/kg, Ped Injectable, IV Piggyback, once, STAT*  
*Comments: Max single dose: 900 mg*
- vancomycin  
*10 mg/kg, Ped Injectable, IV Piggyback, once, STAT, Max dose = 1 gram*

**Laboratory**

- BMP  
*STAT, T;N, once, Type: Blood*
- CBC  
*STAT, T;N, once, Type: Blood*
- Blood Culture  
*STAT, T;N, once, Specimen Source: Peripheral Blood, Nurse Collect*
- Respiratory Culture and Gram Stain  
*STAT, T;N, Specimen Source: Sputum, Nurse Collect*
- Influenza/RSV Panel PCR  
*STAT, T;N, once, Type: Nasopharyngeal(N-P), Nurse Collect*
- Influenza A&B Screen w/ Reflex PCR  
*STAT, T;N, once, Type: Nasopharyngeal(N-P), Nurse Collect*
- RSV Antigen Screen  
*STAT, T;N, once, Type: Nasopharyngeal(N-P), Nurse Collect*
- Respiratory Culture, Viral  
*STAT, T;N, Specimen Source: Sputum, Nurse Collect*
- If possibility of pregnancy, place order below:(NOTE)\*
- Pregnancy Screen Serum  
*STAT, T;N, once, Type: Blood*





Physician Orders PEDIATRIC: LEB ED Respiratory Sx w/o Hx Asthma Plan

- AFB Culture and Smear  
*STAT, T;N, Specimen Source: Sputum Lung*
- Atypical Pneumo by PCR  
*STAT, T;N*

**Diagnostic Tests**

- Chest 1VW Frontal  
*T;N, Stat, Portable*
- Chest 2VW Frontal & Lat  
*T;N, Stat, Stretcher*

**Consults/Notifications/Referrals**

- Consult MD Group  
*T;N, Cardiology*
- Consult MD Group  
*T;N, Pulmonology*
- Consult MD Group  
*T;N, PICU*
- Consult MD Group  
*T;N, Infectious Disease*

---

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

**\*Report Legend:**

- DEF - This order sentence is the default for the selected order
- GOAL - This component is a goal
- IND - This component is an indicator
- INT - This component is an intervention
- IVS - This component is an IV Set
- NOTE - This component is a note
- Rx - This component is a prescription
- SUB - This component is a sub phase, see separate sheet
- R-Required order

