



Physician Orders ADULT: Behavioral Health Patient Care Admit Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase
Phase: Behavioral Health Patient Care Admit Phase, When to Initiate: _____

BEH Patient Care Admit Phase

Admission/Transfer/Discharge

- Patient Status Initial Inpatient
Bed Type: Other - see Special Instructions, Unit: Behavioral Health Unit, 2 midnights or more

Vital Signs

- Vital Signs
 - bid, For 3 day, then daily (DEF)**
 - qid, For 3 day, then daily*

Activity

- Out Of Bed
Up As Tolerated

Food/Nutrition

- Consistent Carbohydrate Diet
 - Caloric Level: 1800 Calorie (DEF)*, Insulin: [] No Insulin [] Short Acting [] Intermediate [] Long Acting [] Short and Intermediate [] Short and Long; Renal Patient: [] No [] Yes, on dialysis [] Yes, not on dialysis (DEF)**
 - Caloric Level: 2000 Calorie, Insulin: [] No Insulin [] Short Acting [] Intermediate [] Long Acting [] Short and Intermediate [] Short and Long; Renal Patient: [] No [] Yes, on dialysis [] Yes, not on dialysis*
- Regular Adult Diet
- AHA Diet
Adult (>18 years)
- Renal Diet Not On Dialysis
Adult (>18 years)
- Renal Diet On Dialysis
Adult (>18 years)

Patient Care

- VTE MEDICAL Prophylaxis Plan(SUB)*
- Precaution Checks
Reason: Other-see Special Instructions, Special Instructions: q15min
- Line of Sight Observation
- One to One Observation
Special Instructions: Reason:
- Weight
On admission
- Weight
QWeek
- Room Search
PRN, Special Instructions: if deemed necessary by BEH Administration
- Dual Diagnosis Group Psychotherapy

Laboratory

- Comprehensive Metabolic Panel
Routine, T;N, once, Type: Blood
- CBC
Routine, T;N, once, Type: Blood
- TSH
Routine, T;N, once, Type: Blood





Physician Orders ADULT: Behavioral Health Patient Care Admit Plan

- T4 Total
Routine, T;N, once, Type: Blood
 - Rapid Plasma Reagin Test
Routine, T;N, once, Type: Blood
 - PTT
Routine, T;N, once, Type: Blood
 - PT
Routine, T;N, once, Type: Blood
 - Dilantin Level
Routine, T;N, once, Type: Blood
 - Lithium Level
Routine, T+1;0400, once, Type: Blood
 - Valproic Acid Level
Routine, T;N, once, Type: Blood
 - Urinalysis w/Reflex Microscopic Exam
Routine, T;N, once, Type: Urine, Nurse Collect
 - Drug Abuse Screen Urine
Routine, T;N, once, Type: Urine, Nurse Collect
- Note: Order Pregnancy Screen Serum if patient is between the ages of 18-50 and not post-hysterectomy or post-menopausal.(NOTE)*
- Pregnancy Screen Serum
Routine, T;N, once, Type: Blood
 - HA1C
Routine, T;N, once, Type: Blood
 - Lipid Profile
Routine, T;N, once, Type: Blood
 - Glucose Fasting
Routine, T;N, once, Type: Blood

Diagnostic Tests

- Electrocardiogram
Start at: T;N, Priority: Stat

Consults/Notifications/Referrals

- Notify Physician-Once
Notify For: room number upon admission
- Notify Resident-Continuing
Notify: Attending/Covering MD, Notify For: if patient experiences extrapyramidal symptoms and diphenhydramine PRN has been administered.
- Physician Consult
 - Consult: Ali , Mahmood Tony, MD, Reason for Consult: H&P and medical follow-up (DEF)*
 - Consult Who: _____ Reason for Consult: H&P and medical follow-up
- Physician Consult
Consult Who: _____ Reason for Consult: Endocrine status
- Physician Consult
Consult Who: _____ Reason for Consult: _____
- Medical Social Work Consult
Reason: Other, specify, Psychosocial Assessment
- Consult Wound Care Nurse
Reason for Consult: _____





Physician Orders ADULT: Behavioral Health Patient Care Admit Plan

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

***Report Legend:**

DEF - This order sentence is the default for the selected order

GOAL - This component is a goal

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

