



### Physician Orders ADULT EP/Cardioversion/Implant Post Proc Plan

#### Initiate Orders Phase

##### Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase

Phase: EP-Cardioversion-Implant Post Proc Phase, When to Initiate: \_\_\_\_\_

##### EP/Cardioversion/Implant Post Proc Phase

##### Admission/Transfer/Discharge

- Return Patient to Room  
T;N
- Transfer Pt within current facility
- Notify Physician-Once

Notify: physician, Notify For: of room number upon admission

##### Vital Signs

- Vital Signs

Monitor and Record Blood Pressure Monitor and Record Resp Rate Monitor and Record Pulse, q15min, For 4 occurrence, then q30min X 2 occurrence, then routine

##### Activity

- Bedrest

After 3 hours of bedrest, If no bleeding and effects of sedation wear off, then up ad lib

##### Food/Nutrition

- Advance Diet As Tolerated
- Diet Regular Adult
- Consistent Carbohydrate Diet  
Caloric Level: 1800 Calorie
- Diet Sodium Control
- Diet Low Cholesterol Low Fat
- Diet Low Fat

##### Patient Care

- INT Insert/Site Care  
q4day
- Cardiac Cath Site Check  
Check for bleeding q15min x 4 occurrence, then q shift
- Instruct/Educate  
Instruct: Patient or Family Member, Method: Provide Device Instruction Booklet

##### Nursing Communication

- Nursing Communication  
Apply sling to RIGHT side, post cath lab procedure
- Nursing Communication  
Apply sling to LEFT side, post cath lab procedure
- Nursing Communication  
Change IV to INT, flush with Normal Saline q8h





Physician Orders ADULT EP/Cardioversion/Implant Post Proc Plan

Medications

- +1 Hours ceFAZolin
2 g, IV Piggyback, IV Piggyback, q8h, Routine, (for 2 dose )
Comments: Time post procedure dose 8 hours after pre procedure dose
+1 Hours vancomycin
1 g, IV Piggyback, IV Piggyback, q12h, Routine, (for 1 dose )
Comments: Time post procedure dose 12 hours after pre procedure dose
+1 Hours clindamycin
900 mg, IV Piggyback, IV Piggyback, q12h, Routine, (for 1 dose )
Comments: Time post procedure dose 12 hours after pre procedure dose
+1 Hours acetaminophen
650 mg, Tab, PO, q4h, PRN Pain, Mild (1-3), Routine
+1 Hours acetaminophen-HYDROcodone 325 mg-5 mg oral tablet
1 tab, Tab, PO, q4h, PRN Pain, Moderate (4-7), Routine
+1 Hours ondansetron
4 mg, Injection, IV Push, q6h, PRN Nausea/Vomiting, Routine

Laboratory

- CBC w/o Diff
Routine, T;N, once, Type: Blood
BMP
Routine, T;N, once, Type: Blood

Diagnostic Tests

- Electrocardiogram
Start at: T;N, Priority: Routine, Reason: Arrhythmia/Dysrhythmia, Frequency: once
Electrocardiogram
Start at: T+1;0800, Priority: Routine, Reason: Arrhythmia/Dysrhythmia
Chest 1 View
T;N, Reason for Exam: Other, Enter in Comments, Stat, Portable
Comments: Post EPS Lead Placement

Date Time Physician's Signature MD Number

\*Report Legend:

- DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note
Rx - This component is a prescription



Attach patient label here



**Physician Orders ADULT EP/Cardioversion/Implant Post Proc Plan**

SUB - This component is a sub phase, see separate sheet

R-Required order

