



Physician Orders ADULT: General Surgery/SDS Admit Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase

Phase: General Surgery/SDS Admit Phase, When to Initiate: _____

General Surgery/SDS Admit Phase

Non Categorized

R Pre Op Diagnosis/Reason

Admission/Transfer/Discharge

- Patient Status Initial Inpatient

T;N Admitting Physician: _____

Reason for Visit: _____

Bed Type: _____ Specific Unit: _____

Care Team: _____ Anticipated LOS: 2 midnights or more

- Patient Status Initial Outpatient

T;N Attending Physician: _____

Reason for Visit: _____

Bed Type: _____ Surgery Specific Unit: _____

Outpatient Status/Service: Ambulatory Surgery

Food/Nutrition

- NPO

Instructions: NPO except for medications, May have meds with sips of water, Start at: T;N

Patient Care

- Consent Signed For

T;N

- Preop Meds Per Anesthesia

T;N

- SCD Apply

- Intake and Output

Routine, q8h(std), Record Intake & Output

Medications

- +1 Hours acetaminophen

975 mg, PO, OnCall

Comments: On Call to O.R.

- Prophylactic Antimicrobial PreOP Protocol Orders(SUB)*

- ceFAZolin

2 g, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose), give within 1 hour prior to incision

Comments: Administer in pre-op holding

- vancomycin

1 g, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose), give within 2 hours prior to incision

Comments: Administer in pre-op holding





Physician Orders ADULT: General Surgery/SDS Admit Plan

- metroNIDAZOLE
*500 mg, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose), give within 1 hour prior to incision
Comments: Administer in pre-op holding*
- piperacillin-tazobactam
*4.5 g, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose), administer within 1 hour of incision
Comments: Administer in pre-op holding*
- If allergic to Penicillin:(NOTE)*
- clindamycin
*600 mg, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose), If allergic to Penicillin
Comments: Administer in pre-op holding*
- gentamicin
*1.5 mg/kg, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose), If allergic to Penicillin
Comments: Administer in pre-op holding*
- VTE Other SURGICAL Prophylaxis Plan(SUB)*

Laboratory

- CBC
Routine, T;0400, once, Type: Blood
- Hct
Routine, T;0400, once, Type: Blood
- CMP
Routine, T;0400, once, Type: Blood
- BMP
Routine, T;0400, once, Type: Blood
- PT/INR
Routine, T;0400, once, Type: Blood
- PTT
Routine, T;0400, once, Type: Blood
- PFT Platelet Function Test
Routine, T;0400, once, Type: Blood
- Pregnancy Screen Serum
Routine, T;0400, once, Type: Blood
- Type and Screen
Routine, T;0400, Type: Blood
- Urinalysis w/Reflex Microscopic Exam
Routine, T;0400, once, Type: Urine, Nurse Collect

Diagnostic Tests

- Chest 1 View
T;N, Portable
- Chest 2 Views
T;N, Routine, Stretcher





Physician Orders ADULT: General Surgery/SDS Admit Plan

EKG

Start at: T;N

Consults/Notifications/Referrals

Notify Physician-Once

Notify For: Notify of room number upon arrival to unit

Physician Group Consult

Group: Medical Anesthesia Group, Reason for Consult: Regional Block

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

***Report Legend:**

DEF - This order sentence is the default for the selected order

GOAL - This component is a goal

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

