



Physician Orders PEDIATRIC: LEB GEN SURG Pectus Excav POD 2 Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase
Phase: LEB GEN SURG Pectus Excav POD 2 Phase, When to Initiate:_____

LEB GEN SURG Pectus Excav POD2 Phase

Activity

- Ambulate
bid, With Assistance, in hall
- Shower

Patient Care

- Nursing Communication
T;N, Discontinue PCA, naproxen to start when Ketorolac discontinued.
- Indwelling Urinary Catheter Insert-Follow Removal Protocol

Medications

- naproxen
250 mg, Tab, PO, bid, Routine
- naproxen
5 mg/kg, Oral Soln, PO, bid, Routine
Comments: to start when Ketorolac discontinued.
- +1 Hours** morphine
0.05 mg/kg, Ped Injectable, IV, q2h, PRN Pain, Breakthrough, Routine, (for 3 day)

Diagnostic Tests

- Chest 2VW Frontal & Lat
T+1;0800, Reason for Exam: Other, Enter in Comments, Routine, Stretcher
Comments: "Nuss" Procedure for Pectus Excavatum; eval bar placement and for pneumothorax.

Consults/Notifications/Referrals

- Pharmacy Consult
Reason: When Ketorolac discontinued as ordered, please start Naproxen as ordered.
- Pharmacy Consult
Reason: Discontinue PCA.

Date
Time
Physician's Signature
MD Number

***Report Legend:**
 DEF - This order sentence is the default for the selected order
 GOAL - This component is a goal





Physician Orders PEDIATRIC: LEB GEN SURG Pectus Excav POD 2 Plan

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

