

T;N, Phase: DVT Phase, When to Initiate:					
hase	.,,,				
sion/Tran	sfer/Discharge				
Patient S	•				
	T;N, Attending Physician	:			
	Reason for Visit:	Specific Unit:			
	Ded Type	Outpatient Status/Service OP-OBSERVATION			
-	Services	outpation dialages with or observer mon			
Patient S	Status Initial Inpatient				
	<i>T;N</i> Admitting Physician:				
	Reason for Visit:	On a sitting I hade			
	Bea Type:	Specific Unit:			
-	Care Team:				
ı					
Notify Ph					
iane	I;N, Notify of room numb	per upon admission			
•	00				
vitai Sigi		T.P.R.BP. a4h(std)			
y	.,,	1). ),=. , 4(5.5)			
Bedrest					
	T;N, Routine				
Bedrest					
I 4 14 1	T;N				
	. I I ( A lath				
America					
Consista	·				
	·				
Regulai					
t Care					
INT Inse	rt/Site Care				
	T;N,Routine,q4day				
Elevate					
	T;N, Area: Affected Extre	emity, Elevate For at all times			
Consent		Eller Discourse			
uous Infi		riiter Piacement			
	Patient S  Patient S  Notify Prigns Vital Sign Well Sedrest Bedrest Bedrest Bedrest Consiste Regular Care INT Inse Elevate Consent	Patient Status Initial Outpatient  T;N, Attending Physician  Reason for Visit:  Bed Type:  Services  Patient Status Initial Inpatient  T;N Admitting Physician:  Reason for Visit:  Bed Type:  Care Team:  midnights or more  Notify Physician-Once  T;N, Notify of room numb.  igns  Vital Signs  T;N, Monitor and Record  y  Bedrest  T;N, Routine  Bedrest w/BRP  T;N  Jutrition  American Heart Association Diet  Start at: T;N  Consistent Carbohydrate Diet  Regular Adult Diet  Start at: T;N  t Care  INT Insert/Site Care  T;N, Routine, q4day  Elevate			





	Sodium Chloride 0.9% 1,000 mL, IV, Routine, 100 mL/hr				
	Sodium Chloride 0.45%  1,000 mL, IV, Routine, 100 mL/hr				
	In addition to this Plan, please use the "Heparin VTE Protocol Orders" if needed for this patient.(NOTE)*				
Medica					
	Pharmacy Consult - Warfarin Dosing  T;N, Routine, Reason: Warfarin Dosing				
	varfarin mg, Tab, PO, QDay, Routine				
	pantoprazole 40 mg, DR Tablet, PO, QDay, Routine				
	pantoprazole 40 mg, Granule, NG, QDay, Routine				
	pantoprazole 40 mg, Injection, IV Push, QDay, Routine				
Labora	itory				
	D-Dimer Quantitative Routine, T;N, once, Type: Blood				
	CBC Routine, T;N, once, Type: Blood				
	BMP Routine, T;N, once, Type: Blood				
	CMP Routine, T;N, once, Type: Blood				
	Urinalysis  Routine, T;N, once, Type: Urine, Nurse Collect				
	Urinalysis w/Reflex Microscopic Exam Routine, T;N, once, Type: Urine, Nurse Collect				
	CBC Routine, T+1;0400, once, Type: Blood				
	BMP Routine, T+1;0400, once, Type: Blood				
	CMP Routine, T+1;0400, once, Type: Blood				
	PT/INR  Routine, T+1;0400, gam, Type: Blood				
	PTT  Routine, T+1;0400, gam, Type: Blood				
	HyperCoagulation Panel Routine, T+1;0400, qam, Type: Blood				



**Diagnostic Tests: Include Reason for Exam** 



	T;N,Reason for I	t Lower Ven Doppler W Compress Bil T;N,Reason for Exam: Other, Enter in Comments,Other reason: DVT,Routine,Stretcher					
	US Ext Lower Ven Dopple T;N,Reason for I	S Ext Lower Ven Doppler W Compress LT  T;N,Reason for Exam: Other, Enter in Comments, Other reason:  DVT,Routine,Stretcher					
	US Ext Lower Ven Dopple T;N,Reason for I	t Lower Ven Doppler W Compress RT  T;N,Reason for Exam: Other, Enter in Comments, Other reason:  DVT,Routine,Stretcher					
	CT Thorax W Cont T;N,Reason for Exam: Other, Enter in Comments, Other reason: PE,Stre						
	NM Pulm Ventilation and I SP Venogram Caval Infer T;N,Reason for I	Pulm Ventilation and Perfusion Img Venogram Caval Inferior W Serialogram  T;N,Reason for Exam: Other, Enter in Comments, Other reason: PE,Routine,Stretcher					
	Chest 1VW Frontal  T;N,Reason for I  PE,Routine,Porta	Exam: Other, Enter in Comments,Othe ble	r reason:				
	Chest 2VW Frontal & La T;N,Reason for I DVT,Routine,Stre	Exam: Other, Enter in Comments, Othe	r reason:				
Consu	Ilts/Notifications/Referrals						
	Consult Case Management T;N Routine, Rec	nt ason: Lovenox injection					
	Consult Clinical Dietitian T;N, Special Inst Therapy	sult Clinical Dietitian T;N, Special Instructions: Routine, Reason: Diet in relation to Coumadin					
	Start at: T;N, Re	Consult Clinical Pharmacist  Start at: T;N, Reason: medication adjustment for Renal Function, Special Instructions: Routine					
	Consult Clinical Pharmaci Start at: T;N, Re	onsult Clinical Pharmacist Start at: T;N, Reason: Coumadin Teaching, Special Instructions: Routine					
	Consult MD  T;N, Consult: General Surgery, Reason for Consult: IVC filter placement						
	Consult Clinical Pharmacist Start at: T;N, Reason: Lovenox Bridge, Special Instructions: Routine						
Date	Time	Physician's Signature	MD Number				

\*Report Legend:
DEF - This order sentence is the default for the selected order

GOAL - This component is a goal





IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

