

Physician Orders ADULT: Pulmonary Embolism Plan

	e Orders Phase Sets/Protocols/PowerPlans						
$\overline{\mathbf{\nabla}}$	Initiate Powerplan Phase						
Dudana	Phase: Pulmonary Embolism Phase, When to Initiate:						
Pulmonary Embolism Phase Admission/Transfer/Discharge							
	Patient Status Initial Inpatient <i>T;N</i> Admitting Physician:						
	Reason for Visit:						
	Bed Type:						
	Care Team Anticipated LOS. 2 midnights of more						
	Patient Status Initial Outpatient						
	T;N Attending Physician:						
	Bed Type: Specific Unit:						
	Outpatient Status/Service: OP OBSERVATION Services						
Vital S							
$\overline{\mathbf{A}}$	Vital Signs						
	Monitor and Record T,P,R,BP, q2h for 4h, then q4h for 24h, then routine						
Activi	ty						
$\overline{}$	Bedrest						
	Routine						
	Bedrest w/BRP						
Feed/	Routine						
	Nutrition						
H	AHA Diet						
	Consistent Carbohydrate Diet Caloric Level: 1800 Calorie, Insulin: [] No Insulin [] Short Acting [] Intermediate [] Long Acting [] Short and Intermediate [] Short and Long;						
	Renal Patient:[] No [] Yes, on dialysis [] Yes, not on dialysis 🗖 Regular Adult Diet						
Patien	it Care						
$\overline{\mathbf{A}}$	O2 Sat Monitoring NSG						
	Routine						
Respi	ratory Care						
\checkmark	O2-BNC						
_	Routine, 2 L/min, Special Instructions: titrate to keep oxygen saturation >/=92%						
Ш	ABG- RT Collect T;N Routine once						
Medic	ations						
_	NOTE: In addition to this plan, please use the Heparin VTE Protocol Orders if needed for this patient.(NOTE)*						
	+1 Hours enoxaparin 1 mg/kg, Injection, Subcutaneous, q12h, Routine, If CrCl < 30 ml/min, use q 24 hrs						
	Comments: If CrCl < 30 ml/min, use q24 hrs						
	+1 Hours warfarin						
	mg, Tab, PO, QDay, Routine						
	+1 Hours famotidine						
	20 mg, Tab, PO, q12h, Routine						

CRIT CARE Pulmonary Embolism Plan 20705 QM1108 PP Rev071216 Page 1 of 3



Physician Orders ADULT: Pulmonary Embolism Plan

	+1 Hours famotidine					
20 mg, Injection, IV Push, q12h, Routine +1 Hours pantoprazole						
_	40 mg, DR Tablet, PO, QDay, Routine Comments: DO NOT CHEW,CUT, OR CRUSH					
	+1 Hours pantoprazole 40 mg, Granule, NG, QDay, Routine					
	pantoprazole 40 mg, Injection, IV Push, QDay, Routine					
Labora						
	D-Dimer Quantitative STAT, T;N, once, Type: Blood					
	CBC					
	STAT, T;N, once, Type: Blood CBC					
_	Routine, T+1;0400, once, Type: Blood					
	BMP STAT, T;N, once, Type: Blood					
	BMP					
	Routine, T+1;0400, once, Type: Blood PT/INR					
	STAT, T;N, once, Type: Blood					
Ш	PT/INR Reutine Tuto 1000 com Turne: Blood					
Diagno	Routine, T+1;0400, qam, Type: Blood ostic Tests					
٦	US Ext Lower Ven Doppler W Compress Bil <i>T;N, Reason for Exam: DVT (Deep Vein Thrombosis), Routine, Stretcher</i>					
	US Ext Lower Ven Doppler W Compress LT <i>T;N, Reason for Exam: DVT (Deep Vein Thrombosis), Routine, Stretcher</i>					
	US Ext Lower Ven Doppler W Compress RT <i>T;N, Reason for Exam: DVT (Deep Vein Thrombosis), Routine, Stretcher</i>					
	CT Thorax W Cont Plan(SUB)*					
	NM Pulm Ventilation and Perfusion Img					
	Chest 1 View					
	T;N, Reason for Exam: SOB(Shortness of Breath), Routine, Portable					
	Chest 2 Views <i>T;N, Reason for Exam: SOB</i> (Shortness of Breath), Routine, Stretcher					
	Electrocardiogram Start at: T;N, Priority: Routine, Reason: Shortness of Breath					
	the following two radiology exams must be ordered together:(NOTE)*					
	Echo Adult					
_	Start at: T;N, Priority: Routine, Reason: Shortness of Breath (SOB)					
	SP Venogram Caval Inferior W Serialogram <i>T;N, Reason for Exam: PE, Routine</i>					
	Its/Notifications/Referrals					
	Physician Consult Pulmonary					
	Physician Consult Cardiothoracic Surgeon					
	Physician Consult Reason for Consult: IVC Filter, General Surgeon					

CRIT CARE Pulmonary Embolism Plan 20705 QM1108 PP Rev071216 Page 2 of 3



Physician Orders ADULT: Pulmonary Embolism Plan

	Physician Consult Reason for Consult: Thrombolytic Therapy						
	Consult Clinical Pharmacist Reason: Adjust Meds for Renal Function						
	Consult Clinical Pharmacist Reason: Teaching for patient home Lovenox injections						
	Consult Case Management Routine, Reason: Discharge Planning						
	Consult Case Management Routine, home use lovenox injections						
	Consult Clinical Dietitian Type of Consult: Education, Special Instructions: Diet in relation to coumadin therapy						
	Pharmacy Consult - Warfarin Dosing Routine, qam						
Date		Time	Physician's Signature	MD Number			
* Report Legend: DEF - This order sentence is the default for the selected order GOAL - This component is a goal							

GOAL - This component is a goal

IND - This component is an indicator INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order