



Physician Orders ADULT: RAD Uterine Fibroid Embolization Pre Proc Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase
Phase: RAD Uterine Fibroid Embolization Pre Proc Phase, Initiate: _____

RAD Uterine Fibroid Embolization Pre Proc Phase

Admission/Transfer/Discharge

- Patient Status Initial Outpatient
*T;N, Attending Physician: _____
Reason for Visit: _____
Bed Type: _____ Specific Unit: _____
Outpatient Status/Service OP-Ambulatory Surgery*

Vital Signs

- Vital Signs
Monitor and Record T,P,R,BP, on admission

Food/Nutrition

- NPO after midnight
NPO except for medications sips of water and blood pressure medications.
- NPO
Instructions: NPO except for medications | NPO except for sips of water, NPO except for blood pressure medications

Patient Care

- Transport Patient
Special Instructions: on call via stretcher to Special Procedures for Uterine Fibroid Embolization
- INT Insert/Site Care
If not already present

Nursing Communication

- Nursing Communication
Please hold Medications: Insulin, Oral Hypoglycemics, Aspirin, Clopidogrel, Warfarin

Continuous Infusion

- Dextrose 5% in Lactated Ringers Injection
*500 mL, IV, Routine, 10 mL/hr
Comments: to keep vein open*
- Sodium Chloride 0.45%
*500 mL, IV, Routine, 10 mL/hr
Comments: to keep vein open*

Medications

- ondansetron
*4 mg, IV Push, N/A, Routine
Comments: Sent to X-ray specials with patient, needs to be ON-CALL*
- +1 Hours** ceFAZolin
*1 g, Injection, IV Push, N/A, Routine, (for 1 dose)
Comments: Upon arrival to Same Day Surgery
If patient allergic to Cefazolin, order Vancomycin below:(NOTE)**
- +1 Hours** vancomycin
*1 g, IV Piggyback, IV Piggyback, N/A, Routine, (for 1 dose)
Comments: Upon arrival to Same Day Surgery*
- +1 Hours** famotidine
*20 mg, Tab, PO, N/A, Routine, (for 1 dose)
Comments: On arrival to Same Day Surgery*
- +1 Hours** diphenhydrAMINE





Physician Orders ADULT: RAD Uterine Fibroid Embolization Pre Proc Plan

50 mg, Cap, PO, N/A, Routine, (for 1 dose)
Comments: On arrival to Same Day Surgery

- +1 Hours ketorolac
60 mg, Injection, IM, N/A, Routine, (for 1 dose)
Comments: Upon arrival to Same Day Surgery
If patient > 65 years of age or weight < 50 kg, order ketorolac below:(NOTE)*

- +1 Hours ketorolac
30 mg, Injection, IV Push, N/A, Routine, (for 1 dose)
Comments: Upon arrival to Same Day Surgery

Laboratory

If no BMP in past 7 days, place order for BMP below:(NOTE)*

- BMP
STAT, T;N, once, Type: Blood

- CBC w/o Diff
STAT, T;N, once, Type: Blood

If patient has taken warfarin in the past 5 days, place order for PT below:(NOTE)*

- PT/INR
STAT, T;N, once, Type: Blood

Consults/Notifications/Referrals

- Notify Physician-Once
of room number upon arrival to unit

Date Time Physician's Signature MD Number

*Report Legend:

- DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note
Rx - This component is a prescription
SUB - This component is a sub phase, see separate sheet
R-Required order

