



Physician Orders ADULT: ENT Adult Preop Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase
Phase: ENT Adult Preop Plan Phase, When to Initiate: _____

ENT Adult Preop Phase

Non Categorized

- Pre Op Diagnosis/Reason

Admission/Transfer/Discharge

- Patient Status Initial Outpatient
T;N Attending Physician: _____
Reason for Visit: _____
Bed Type: Outpatient Status/Service OP-Ambulatory Surgery Specific Unit: _____

- Patient Status Initial Inpatient
T;N Admitting Physician: _____
Reason for Visit: _____
Bed Type: _____ Specific Unit: _____
Care Team: _____ Anticipated LOS: 2 midnights or more

Vital Signs

- Vital Signs
Monitor and Record T,P,R,BP

Activity

- Activity As Tolerated

Food/Nutrition

- NPO

Patient Care

- Preop Meds Per Anesthesia
T;N
- Op Permit
T;N, Procedure: Remove tonsils
- Op Permit
T;N, Procedure: Remove adenoids
- Op Permit
T;N, Procedure: Place pressure equalizing tubes (PE tubes) in eardrums
- Op Permit
T;N, Procedure: Go through nostrils to make opening into sinuses to allow for better drainage
- Op Permit
T;N, Procedure: Laryngoscopy





Physician Orders ADULT: ENT Adult Preop Plan

- Op Permit
T;N, Procedure: View vocal cords

Medications

- +1 Hours** acetaminophen
975 mg, PO, OnCall
Comments: On Call to O.R.
 - +1 Hours** tetrahydrozoline 0.05% nasal solution
2 drop, Nasal Soln, Nasal, N/A, Routine, (for 1 dose)
Comments: On Call to OR - Directions: "to each nostril" DO NOT give to patient to take home.
 - +1 Hours** oxymetazoline 0.05% nasal spray
2 spray, Spray, Nasal, N/A, Routine, (for 1 dose)
Comments: On Call to OR. DO NOT give to patient to take home
- For patients with PE Tubes in ears complete order below(NOTE)*
- +1 Hours** ofloxacin 0.3% otic solution
1 drop, Otic Soln, Both Ears, N/A, Routine, (for 1 dose)
Comments: on call to OR (send to OR with patient).

Laboratory

Order lab procedures in not ordered in PAW(NOTE)*

- CBC
Routine, T;N, once, Type: Blood
- Urinalysis w/Reflex Microscopic Exam
Routine, T;N, once, Type: Urine, Nurse Collect
- PTT
Routine, T;N, once, Type: Blood

Diagnostic Tests

Complete order below if age is 75 years or older, males over 40 or females over age 50, 20 pack/year smoking history, history of significant COPD or Emphysema, or history of Cancer(NOTE)*

- Chest 2 Views
T;N, Routine, Stretcher
- Complete order below if patient has morbid obesity, diabetes, hypertension, 40 pack/year or greater tobacco history, any history of CHF, MI, Dysrhythmia, or angina:(NOTE)*
- EKG
Start at: T;N, Priority: Routine

Consults/Notifications/Referrals

- Notify Physician-Once
Notify For: room number on arrival to unit
- Physician Group Consult
Group: Medical Anesthesia Group, Reason for Consult: Regional Block





Physician Orders ADULT: ENT Adult Preop Plan

Date Time Physician's Signature MD Number

***Report Legend:**

- DEF - This order sentence is the default for the selected order
- GOAL - This component is a goal
- IND - This component is an indicator
- INT - This component is an intervention
- IVS - This component is an IV Set
- NOTE - This component is a note
- Rx - This component is a prescription
- SUB - This component is a sub phase, see separate sheet
- R-Required order

