



Physician Orders ADULT: Prothrombin Complex Concentrate (Kcentra) for Warfarin-Associated Major Bleeding Plan

Prothrombin Complex Concentrate (Kcentra) for Warfarin-Associated Major Bleeding Plan

Nursing Communication

- ☒ Nursing Communication
Please ensure follow up INR is drawn 30 minutes following administration of Prothrombin Complex Concentrate (Kcentra)

Medications

- ☒ **+1 Days** phytonadione
10 mg, IV Piggyback, IV Piggyback, once, STAT
Pretreatment INR: <2. Maximum Dose: 1,500 units.(NOTE)*
- ☐ prothrombin complex concentrate (Kcentra)
15 units/kg, Injection, IV, once, STAT
Comments: Dose rounded by pharmacist to vial size. Administer at a rate of 210 units/minute. May not be administered with other medications. Repeat INR 30 minutes following administration. Flush line before and after dose with NS. Maximum Dose: 1,500 units.
Pretreatment INR: 2 to 3.9. Maximum Dose: 2,500 units.(NOTE)*
- ☐ prothrombin complex concentrate (Kcentra)
25 units/kg, Injection, IV, once, STAT
Comments: Dose rounded by pharmacist to vial size. Administer at a rate of 210 units/minute. May not be administered with other medications. Repeat INR 30 minutes following administration. Flush line before and after dose with NS. Maximum Dose: 2,500 units.
Pretreatment INR: 4 to 6. Maximum Dose: 3,500 units.(NOTE)*
- ☐ prothrombin complex concentrate (Kcentra)
35 units/kg, Injection, IV, once, STAT
Comments: Dose rounded by pharmacist to vial size. Administer at a rate of 210 units/minute. May not be administered with other medications. Repeat INR 30 minutes following administration. Flush line before and after dose with NS. Maximum Dose: 3,500 units.
Pretreatment INR: >6. Maximum Dose: 5,000 units.(NOTE)*
- ☐ prothrombin complex concentrate (Kcentra)
50 units/kg, Injection, IV, once, STAT
Comments: Dose rounded by pharmacist to vial size. Administer at a rate of 210 units/minute. May not be administered with other medications. Repeat INR 30 minutes following administration. Flush line before and after dose with NS. Maximum Dose: 5,000 units.
- ☐ Sodium Chloride 0.9% Bolus
50 mL, Injection, IV Piggyback, once, Routine, 50 mL/hr
Comments: Flush tubing used to administer Prothrombin Complex Concentrate (Kcentra)
- ☐ **+1 Hours** diphenhydramine
50 mg, Injection, IV Push, once, PRN Other, specify in Comment, STAT
Comments: Administer prior to Prothrombin Complex Concentrate (Kcentra) if known hypersensitivity to blood products.
- ☐ **+1 Hours** methylPREDNISolone sodium succinate
40 mg, Injection, IV Push, once, PRN Other, specify in Comment, STAT
Comments: Administer prior to Prothrombin Complex Concentrate (Kcentra) if known hypersensitivity to blood products.
- ☐ **+24 Hours** phytonadione
☐ 5 mg, Tab, PO, QDay, Routine, (for 3 dose) (DEF)*
Comments: May convert to IV if unable to take PO.

NEURO Prothrombin Complex Concentrate (Kcentra) for Warfarin-Associated Major Bleeding Plan 21025 QM0113





Physician Orders ADULT: Prothrombin Complex Concentrate (Kcentra) for Warfarin-Associated Major Bleeding Plan

- ☐ 5 mg, IV Piggyback, IV Piggyback, QDay, Routine, (for 3 dose)
 Comments: May convert to IV if unable to take PO.

Laboratory

- ☐ CBC
 STAT, T;N, Type: Blood
 Comments: Draw prior to infusion of Plasma or Prothrombin Complex Concentrate (Kcentra)
- ☒ PT/INR
 Time Study, q12h x 2 occurrence, Type: Blood
- ☒ PT/INR
 Routine, T+1;0400, QDay, Type: Blood

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

***Report Legend:**

DEF - This order sentence is the default for the selected order
 GOAL - This component is a goal
 IND - This component is an indicator
 INT - This component is an intervention
 IVS - This component is an IV Set
 NOTE - This component is a note
 Rx - This component is a prescription
 SUB - This component is a sub phase, see separate sheet
 R-Required order

