



Physician Orders PEDIATRIC: LEB ED Amputation Minor Plan

LEB ED Triage Standing Amputation Minor

Non Categorized

Criteria: less than 18 years of age with a digit tip complete or partial amputation excluding complete digits or extremities.(NOTE)*

Vital Signs

- Vital Signs
Monitor and Record T,P,R,BP, Per ED policy

Food/Nutrition

- NPO

Patient Care

- IV Insert/Site Care LEB
Stat, q2h(std)
- O2 Sat Spot Check-NSG
T;N, Stat
- Nursing Communication
If there is a partial amputation, stabilize the distal tissue and elevate
- Nursing Communication
Apply sterile saline soaked gauze dressing on the amputation and the amputated part.
- Nursing Communication
Place amputated part in a sealed and labeled plastic bag. Place bag on ice and ensure the amputated part accompanies patient to admission location or surgery
- Nursing Communication
Discuss need for X-ray order of affected area with ED physician
- Elevate
Area: Affected Extremity

LEB ED Amputation-Minor Phase

Non Categorized

- R Powerplan Open

Patient Care

- LEB ED Procedural Sedation Plan(SUB)*

Continuous Infusion

- Sodium Chloride 0.9%
1,000 mL, IV, STAT, mL/hr

Medications

- acetaminophen-HYDROcodone 325 mg-7.5 mg/15 mL oral solution
0.15 mg/kg, Elixir, PO, once, STAT, (5 mL = 2.5 mg HYDROcodone) Max dose = 10 mg
- acetaminophen-HYDROcodone 325 mg-5 mg oral tablet
1 tab, Tab, PO, once, STAT, (1 tab = 5 mg HYDROcodone), Max dose = 10 mg
- morphine





Physician Orders PEDIATRIC: LEB ED Amputation Minor Plan

0.1 mg/kg, Ped Injectable, IV Push, once, STAT, Max initial dose = 10 mg

- HYDRomorphone
0.015 mg/kg, Injection, IV Push, once, STAT, Max initial dose = 0.2 mg (DEF)*
1 mg, Injection, IV Push, once, STAT

- LORazepam
0.05 mg/kg, Ped Injectable, IM, once, STAT, Maximum dose = 4 mg

- lidocaine 1% inj
mL, Injection, Subcutaneous, once, STAT, Max dose of lidocaine = 4.5 mg/kg/dose
Comments: (1 mL = 10 mg)

Laboratory

If possibility of pregnancy, order below:(NOTE)*

- Pregnancy Screen Serum
STAT, T;N, once, Type: Blood

Diagnostic Tests

- Hand 2VW LT
T;N, Reason for Exam: Trauma, Stat, Stretcher
Hand 2VW RT
T;N, Reason for Exam: Trauma, Stat, Stretcher
Foot 2VW LT
T;N, Reason for Exam: Trauma, Stat, Stretcher
Foot 2VW RT
T;N, Reason for Exam: Trauma, Stat, Stretcher

Consults/Notifications/Referrals

- Consult MD Group
Orthopedic Surgery
Consult MD Group
General Surgery

Date Time Physician's Signature MD Number

*Report Legend:

- DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note



Attach patient label here



Physician Orders PEDIATRIC: LEB ED Amputation Minor Plan

Rx - This component is a prescription

SUB - This component is a sub phase, see separate sheet

R-Required order

