



Physician Orders ADULT: Colon Surgery Pre Op Plan

Unique Plan Description: Colon Surgery Pre Op Plan
Plan Selection Display: Colon Surgery Pre Op Plan
PlanType: Medical
Version: 1

Begin Effective Date: 10/23/2012 9:30 AM
End Effective Date: Current

Available at: Behav Health
FAYETTE
GERMANTOWN
MECH
NORTH
OLIVE BRANCH
SOUTH
UNIVERSITY

Plan Comment: #22011 - Built carenet orders 9-17-12 in TESTING VERSION for future go live date of 11-23-12.mt10.22.12 added medications per Melinda email 10.22.12 F.W. 10-23-12 ACTIVATED IN PROD.mt 4-9-13 Foley insert order added per CR 3467.mt 5-15-13 MOBH added to VV per Annelise/CB request.mt

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

[] Initiate Powerplan Phase
T;N, Phase: Colon Surgery Pre Op Phase, When to Intitiate: _____

Colon Surgery Pre Op Phase

Admission/Transfer/Discharge

[x] Patient Status Initial Inpatient
T;N Admitting Physician: _____
Reason for Visit: _____
Bed Type: _____ Specific Unit: _____
Care Team: _____ Anticipated LOS: 2
midnights or more

Vital Signs

[x] Vital Signs
T;N, Monitor and Record T,P,R,BP, q4h(std)

Food/Nutrition

[x] NPO
Start at: T;N, Instructions: NPO except for medications

Patient Care

[x] Instruct/Educate
T;N, Instruct: Patient and Family, Topic: General Surgery
[x] Consent Signed For
T;N
[] Indwelling Urinary Catheter Insert-Follow Removal Protocol
T;N, to be placed while in pre-procedural area

Nursing Communication





Physician Orders ADULT: Colon Surgery Pre Op Plan

- Nursing Communication
T;N, Verify current H&P on chart

Medications

- +1 Hours** ertapenem
1 g, Injection, IV Piggyback, once, STAT
Comments: start no earlier than one hour prior to incision time
- OR(NOTE)*
- ceFAZolin and MetroNIDAZOLE Combination Plan(SUB)*
If penicillin or cephalosporin allergy, order both antibiotics below. If specific allergy to Ceftriaxime, do not give Aztreonam and replace Aztreonam with separate one time order for Ciprofloxacin 400mg IV start no earlier than TWO hours prior to incision time(NOTE)*
- +1 Hours** clindamycin
600 mg, IV Piggyback, IV Piggyback, once
Comments: start no earlier than one hour prior to incision time
- AND(NOTE)*
- +1 Hours** aztreonam
2 g, IV Piggyback, IV Piggyback, once
Comments: start no earlier than one hour prior to incision time

Laboratory

- Note: Do not order labs below if tests have already been completed prior to date of admission.(NOTE)*
- CBC
Routine, T;N, once, Type: Blood
 - BMP
Routine, T;N, once, Type: Blood
 - Urinalysis w/Reflex Microscopic Exam
Routine, T;N, once, Type: Urine, Nurse Collect
 - Urinalysis
Routine, T;N, once, Type: Urine, Nurse Collect
 - Nursing Communication
T;N, If blood products are given, place order for STAT Hct____hrs after transfusion is complete

Diagnostic Tests: Include Reason for Exam

- Electrocardiogram
Start at: T;N, Priority: Routine, Reason: Other, specify
Comments: Reason for Exam: Preop colon surgery
- Chest 2VW Frontal & Lat
T;N, Reason for Exam: Pre Op, Routine, Stretcher

Consults/Notifications/Referrals

- Physician Group Consult
T;N, Group: Medical Anesthesia Group, Reason for Consult: General Surgery
- Consult Wound Care Nurse
T;N, Reason for Consult: Other, Specify in Comments, Special Instructions: for possible ostomy care and teaching





Physician Orders ADULT: Colon Surgery Pre Op Plan

- Notify Physician-Once
T;N, Notify: Anesthesia, if patient has not received prescribed beta blocker within last 24 hours.

Date Time Physician's Signature MD Number

***Report Legend:**

- DEF - This order sentence is the default for the selected order
- GOAL - This component is a goal
- IND - This component is an indicator
- INT - This component is an intervention
- IVS - This component is an IV Set
- NOTE - This component is a note
- Rx - This component is a prescription
- SUB - This component is a sub phase, see separate sheet
- R-Required order

