



Physician Orders ADULT: ED Severe Sepsis Bundle Plan EKM

ED Severe Sepsis Bundle Phase

Non Categorized

R Sepsis Quality Measures
T;N

Vital Signs

- Vital Signs
Monitor and Record Pulse | Resp Rate | Blood Pressure, q1h(std), For 6hr, including MAP, then q 4hr(std)

Patient Care

- Indwelling Urinary Catheter Insert-Follow Removal Protocol
Reason: Strict UOP (q30 min or q1 hr) in ICU, Remove Foley Catheter in 12hrs. May remove in less than 12 hours if meets foley removal criteria.
- Intake and Output
q30min, For 6hr, then 8hr(std). Goal greater than 0.5mL/kg/hr.
- O2 Sat Monitoring NSG
Maintain O2 Sat equal to or greater than 92%. Call MD for O2 orders if sat less than 92%.
- Intermittent Needle Therapy Insert/Site Care
q4day, Insert 2 peripheral IVs.

Continuous Infusion

Initial Fluid Bolus

Call MD after 1st liter bolus for End-Stage Renal Disease and CHF patients.(NOTE)*

- Sodium Chloride 0.9% Bolus
*1,000 mL, Injection, IV Piggyback, q1h, STAT, (for 2 dose), 1,000 mL/hr
Comments: Call Admitting MD after 1st liter bolus for End-Stage Renal Disease and CHF patients.*
- Sodium Chloride 0.9% Bolus
*1,000 mL, Injection, IV Piggyback, q1h, STAT, (for 3 dose), 1,000 mL/hr
Comments: Call Admitting MD after 1st liter bolus for End-Stage Renal Disease and CHF patients.*
- OR (NOTE)*
- Lactated Ringers Bolus
*1,000 mL, Injection, IV Piggyback, q1h, STAT, (for 2 dose), 1,000 mL/hr
Comments: Call Admitting MD after 1st liter bolus for End-Stage Renal Disease and CHF patients.*
- Lactated Ringers Bolus
*1,000 mL, Injection, IV Piggyback, q1h, STAT, (for 3 dose), 1,000 mL/hr
Comments: Call Admitting MD after 1st liter bolus for End-Stage Renal Disease and CHF patients.*

Medications

- Commonly Used Antibiotics Plan (SUB)*

Urinary Tract Infection (UTI)

- +1 Hours** cefTRIAxone
*2 g, IV Piggyback, IV Piggyback, once, STAT, Reason for ABX: Other (specify in comments),
Treatment of documented/suspected infection*

Intra-abdominal Source

- +1 Hours** piperacillin-tazobactam
*4.5 g, IV Piggyback, IV Piggyback, q6h, STAT, (for 2 dose), Reason for ABX: Other (specify in comments),
Treatment of documented/suspected infection*

Community Acquired Pneumonia

- +1 Hours** levofloxacin
750 mg, IV Piggyback, IV Piggyback, once, STAT, Reason for ABX: Other (specify in comments)





Physician Orders ADULT: ED Severe Sepsis Bundle Plan EKM

Comments: Treatment of documented/suspected infection

Unk Source/Hosp Acq Pneumonia(HCAP)

- +1 Hours vancomycin
15 mg/kg, IV Piggyback, IV Piggyback, once, STAT, Reason for ABX: Other (specify in comments),
Treatment of documented/suspected infection
AND(NOTE)*
+1 Hours piperacillin-tazobactam
4.5 g, IV Piggyback, IV Piggyback, q6h, STAT, (for 2 dose), Reason for ABX: Other (specify in
comments), Treatment of documented/suspected infection
AND (NOTE)*
+1 Hours levofloxacin
750 mg, IV Piggyback, IV Piggyback, once, STAT, Reason for ABX: Other (specify in comments)
Comments: Treatment of documented/suspected infection

Laboratory

- CBC
STAT, T;N, once, Type: Blood, Nurse Collect
CMP
STAT, T;N, once, Type: Blood, Nurse Collect
Lactic Acid Level
STAT, T;N, once, Type: Blood, Nurse Collect
Blood Culture
Time Study, T;N, q5min 2 occurrence, Specimen Source: Peripheral Blood, Nurse Collect
Comments: If central line is present, draw a blood culture set from line and peripheral blood.
Urine Culture
STAT, T;N, Specimen Source: Urine, Catheterized, Nurse Collect
Urinalysis w/Reflex Microscopic Exam
STAT, T;N, once, Type: Urine, Nurse Collect

Diagnostic Tests

- Chest 1 VW
T;N, Reason For Exam Other, Enter in Comments, Stat
Comments: For Shortness of breath and/or chest pain and/or cough

Consults/Notifications/Referrals

- Consult Clinical Pharmacist
Reason: for antibiotic renal dosing
Pharmacy Consult-Aminoglycoside Dosing
qam
Pharmacy Consult - Vancomycin Dosing
Qam

Date Time Physician's Signature MD Number

*Report Legend:

- DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set





Physician Orders ADULT: ED Severe Sepsis Bundle Plan EKM

NOTE - This component is a note
Rx - This component is a prescription
SUB - This component is a sub, see separate sheet
R-Required order

