



Physician Orders PEDIATRIC: LEB Wound Plan

Initiate Orders Phase

Non Categorized

- Initiate Powerplan Phase
Phase: LEB Wound Care Phase, When to Initiate: _____
- Initiate Powerplan Phase
Phase: LEB Pressure Wound Phase, When to Initiate: _____
- Initiate Powerplan Phase
Phase: LEB Non-Pressure Wound Phase, When to Initiate: _____
- Initiate Powerplan Phase
Phase: LEB G-Tube Site Phase, When to Initiate: _____
- Initiate Powerplan Phase
Phase: LEB Ostomy Site Phase, When to Initiate: _____
- R Powerplan Open

LEB Wound Care Phase

Patient Care

- Special Bed Request
bed with low air-loss mattress, use blue dry flow pads only.
- Special Bed Request
Type of Bed: Wound-Adult, with standard foam mattress
- Turn
Routine, q2h(std)
- Elevate Head Of Bed
less than 30 degrees as medically tolerated except for meals
- Elevate
heels off mattress with pillows under calves
- Negative Pressure Wound Therapy
*Amount of Pressure: _____mm/Hg, Continuous (DEF)**
Amount of Pressure: _____mm/Hg, Intermittent
- Wound Care
Frequency: _____, Site of Wound: _____
- Wound Care
Frequency: _____, Site of Wound: _____
- Wound Care
Frequency: _____, Site of Wound: _____
- Wound Care
Frequency: _____, Site of Wound: _____
- Ostomy Care
- Ostomy Care
PRN





Physician Orders PEDIATRIC: LEB Wound Plan

- Gastrostomy Tube Care

Laboratory

- Wound Culture and Gram Stain
Routine, T;N, Specimen Source: Wound

Consults/Notifications/Referrals

- Dietitian Consult/Nutrition Therapy
Case Management Consult
Routine
Physical Therapy Ped Eval & Tx

LEB Pressure Wound Phase

Medications

- +1 Hours Dakins Full Strength 0.5% topical solution
+1 Hours Dakins Half Strength 0.25% topical solution
+1 Hours Dakins Quarter Strength 0.125% topical solution
+1 Hours Iodosorb 0.9% topical gel
+1 Hours Iodosorb 0.9% topical gel
+1 Hours collagenase 250 units/g topical ointment
+1 Hours collagenase 250 units/g topical ointment
+1 Hours silver sulfADIAZINE topical





Physician Orders PEDIATRIC: LEB Wound Plan

1 application, Cream, TOP, bid, Routine
Comments: Apply to: _____

1 application, Cream, TOP, tid, Routine
Comments: Apply to: _____

+1 Hours silver sulfADIAZINE topical
1 application, Cream, TOP, prn, PRN Dressing Change, Routine
Comments: Apply to: _____

+1 Hours silver nitrate topical stick
1 application, Swab, TOP, once, Routine
Comments: WOC RN apply to: _____

+1 Hours silver nitrate topical stick
1 application, Swab, TOP, prn, PRN Other, specify in Comment, Routine
Comments: WOC RN apply to: _____

LEB Non-Pressure Wound Phase

Medications

+1 Hours vitamin A & D topical ointment
1 application, Ointment, TOP, QDay, Routine (DEF)*
Comments: Apply to: _____
1 application, Ointment, TOP, bid, Routine
Comments: Apply to: _____
1 application, Ointment, TOP, tid, Routine
Comments: Apply to: _____

+1 Hours vitamin A & D topical ointment
1 application, Ointment, TOP, prn, PRN Diaper Change, Routine

+1 Hours Aquaphor topical ointment
1 application, Ointment, TOP, QDay, Routine (DEF)*
Comments: Apply to: _____
1 application, Ointment, TOP, bid, Routine
Comments: Apply to: _____
1 application, Ointment, TOP, tid, Routine
Comments: Apply to: _____

+1 Hours Aquaphor topical ointment
1 application, Ointment, TOP, prn, PRN Dry Skin, Routine

+1 Hours mupirocin topical 2% ointment
1 application, Ointment, TOP, tid, Routine

+1 Hours Iodosorb 0.9% topical gel
1 application, Gel, TOP, QDay, Routine (DEF)*
Comments: Apply to: _____
1 application, Gel, TOP, bid, Routine
Comments: Apply to: _____
1 application, Gel, TOP, tid, Routine





Physician Orders PEDIATRIC: LEB Wound Plan

- +1 Hours** Iodosorb 0.9% topical gel
 1 application, Gel, TOP, prn, PRN Dressing Change, Routine
 Comments: Apply to: _____
- +1 Hours** Dakins Full Strength 0.5% topical solution
 1 application, Topical Soln, TOP, prn, PRN Wound Care
- +1 Hours** Dakins Half Strength 0.25% topical solution
 1 application, Topical Soln, TOP, prn, PRN Wound Care
- +1 Hours** Dakins Quarter Strength 0.125% topical solution
 1 application, Topical Soln, TOP, prn, PRN Wound Care
- +1 Hours** miconazole 2% topical cream
 1 application, Cream, TOP, bid, Routine (DEF)*
 Comments: Apply to: _____
 1 application, Cream, TOP, QDay, Routine
 Comments: Apply to: _____
 1 application, Cream, TOP, tid, Routine
 Comments: Apply to: _____
- +1 Hours** miconazole 2% topical cream
 1 application, Cream, TOP, prn, PRN Diaper Change, Routine
- +1 Hours** nystatin 100,000 units/g topical powder
 1 application, Powder, TOP, QDay (DEF)*
 Comments: Apply to: _____
 1 application, Powder, TOP, bid
 Comments: Apply to: _____
 1 application, Powder, TOP, tid
 Comments: Apply to: _____
- +1 Hours** nystatin 100,000 units/g topical powder
 1 application, Powder, TOP, prn, PRN Other, specify in Comment, Routine
 Comments: Apply to: _____
- +1 Hours** nystatin 100,000 units/g topical ointment
 1 application, Ointment, TOP, tid, Routine
 Comments: Apply to: _____
- +1 Hours** nystatin 100,000 units/g topical ointment
 1 application, Ointment, TOP, prn, PRN Diaper Change, Routine
- +1 Hours** Resinol 2% topical ointment
 1 application, Ointment, TOP, bid, Routine
 Comments: Apply to: _____
- +1 Hours** Resinol 2% topical ointment
 1 application, Ointment, TOP, prn, PRN Diaper Change, Routine
 Comments: Apply to: _____





Physician Orders PEDIATRIC: LEB Wound Plan

- +1 Hours** collagenase 250 units/g topical ointment
*1 application, Ointment, TOP, QDay, Routine (DEF)**
 Comments: Apply to: _____
1 application, Ointment, TOP, bid, Routine
 Comments: Apply to: _____
1 application, Ointment, TOP, tid, Routine
 Comments: Apply to: _____
- +1 Hours** collagenase 250 units/g topical ointment
1 application, Ointment, TOP, QDay, PRN Dressing Change, Routine
 Comments: Apply to: _____
- +1 Hours** silver sulfADIAZINE topical
*1 application, Cream, TOP, QDay, Routine (DEF)**
 Comments: Apply to: _____
1 application, Cream, TOP, bid, Routine
 Comments: Apply to: _____
1 application, Cream, TOP, tid, Routine
 Comments: Apply to: _____
- +1 Hours** silver sulfADIAZINE topical
1 application, Cream, TOP, prn, PRN Dressing Change, Routine
 Comments: Apply to: _____
- +1 Hours** silver nitrate topical stick
1 application, Swab, TOP, once, Routine
 Comments: WOC RN apply to: _____
- +1 Hours** silver nitrate topical stick
1 application, Swab, TOP, prn, PRN Other, specify in Comment, Routine
 Comments: WOC RN apply to: _____
- +1 Hours** lidocaine topical 2% gel
1 application, Gel, TOP, once, PRN Pain, Routine, 30 mL
 Comments: Apply to: _____
- +1 Hours** Eucerin topical cream
1 application, Cream, TOP, prn, PRN Dry Skin, Routine
 Comments: Apply to: _____
- +1 Hours** Gebauer's Pain Ease Spray
1 spray, Spray, TOP, prn, PRN Pain, Routine
- +1 Hours** balsam Peru/castor oil/trypsin 87 mg-788 mg-90 units/g topical ointment
1 application, Ointment, TOP, N/A, PRN Wound Care

LEB G-Tube Site Phase

Medications

- +1 Hours** vitamin A & D topical ointment
*1 application, Ointment, TOP, QDay, Routine (DEF)**





Physician Orders PEDIATRIC: LEB Wound Plan

Comments: Apply to: _____

1 application, Ointment, TOP, bid, Routine

Comments: Apply to: _____

1 application, Ointment, TOP, tid, Routine

Comments: Apply to: _____

+1 Hours vitamin A & D topical ointment
1 application, Ointment, TOP, prn, PRN Diaper Change, Routine

+1 Hours mupirocin topical 2% ointment
1 application, Ointment, TOP, tid, Routine

+1 Hours miconazole 2% topical cream
1 application, Cream, TOP, bid, Routine (DEF)*
Comments: Apply to: _____
1 application, Cream, TOP, QDay, Routine
Comments: Apply to: _____
1 application, Cream, TOP, tid, Routine
Comments: Apply to: _____

+1 Hours miconazole 2% topical cream
1 application, Cream, TOP, prn, PRN Diaper Change, Routine

+1 Hours nystatin 100,000 units/g topical powder
1 application, Powder, TOP, QDay, Routine (DEF)*
Comments: Apply to: _____
1 application, Powder, TOP, bid, Routine
Comments: Apply to: _____
1 application, Powder, TOP, tid, Routine
Comments: Apply to: _____

nystatin 100,000 units/g topical powder
1 application, Powder, TOP, prn, PRN Other, specify in Comment, Routine
Comments: Apply to: _____

+1 Hours nystatin 100,000 units/g topical ointment
1 application, Ointment, TOP, tid, Routine
Comments: Apply to: _____

nystatin 100,000 units/g topical ointment
1 application, Ointment, TOP, prn, PRN Diaper Change, Routine

+1 Hours Resinol 2% topical ointment
1 application, Ointment, TOP, bid, Routine
Comments: Apply to: _____

+1 Hours Resinol 2% topical ointment
1 application, Ointment, TOP, prn, PRN Diaper Change, Routine
Comments: Apply to: _____

+1 Hours silver nitrate topical stick





Physician Orders PEDIATRIC: LEB Wound Plan

1 application, Swab, TOP, once, Routine

Comments: WOC RN apply to: _____

- +1 Hours silver nitrate topical stick
1 application, Swab, TOP, prn, PRN Other, specify in Comment, Routine
Comments: WOC RN apply to: _____ Apply to: _____

- +1 Hours triamcinolone 0.1% topical ointment
1 application, Ointment, TOP, bid, Routine (DEF)*
Comments: Apply to: _____
1 application, Ointment, TOP, QDay, Routine
Comments: Apply to: _____
1 application, Ointment, TOP, tid, Routine
Comments: Apply to: _____

- +1 Hours triamcinolone 0.1% topical ointment
1 application, Ointment, TOP, bid, PRN Dressing Change, Routine
Comments: Apply to: _____

- +1 Hours Gebauer's Pain Ease Spray
1 spray, Spray, TOP, prn, PRN Pain, Routine

LEB Ostomy Site Phase Medications

- +1 Hours nystatin 100,000 units/g topical powder
1 application, Powder, TOP, QDay, Routine (DEF)*
Comments: Apply to: _____
1 application, Powder, TOP, bid, Routine
Comments: Apply to: _____
1 application, Powder, TOP, tid, Routine
Comments: Apply to: _____

- +1 Hours nystatin 100,000 units/g topical powder
1 application, Powder, TOP, prn, PRN Other, specify in Comment, Routine
Comments: Apply to: _____

Date Time Physician's Signature MD Number

*Report Legend:
DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note



Attach patient label here



Physician Orders PEDIATRIC: LEB Wound Plan

Rx - This component is a prescription
SUB - This component is a sub phase
R-Required order

