



Physician Orders ADULT: Headache Observation Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase
T;N, Phase: Headache Observation Phase, When to Initiate: _____

Headache Observation Phase

Admission/Transfer/Discharge

- Patient Status Initial Outpatient
T;N, Attending Physician: _____
Reason for Visit: _____
Bed Type: _____ Specific Unit: _____
Outpatient Status/Service OP-OBSERVATION Services

Vital Signs

- Vital Signs w/Neuro Checks
T;N, Routine | T,P,R,BP, q4h(std)

Activity

- Bedrest
T;N, Routine
- Bedrest w/BRP
T;N

Food/Nutrition

- NPO
Start at: T;N
- Clear Liquid Diet
Start at: T;N, Adult (>18 years)
- Regular Adult Diet
Start at: T;N
- Consistent Carbohydrate Diet
Start at: T;N, 1800 Calorie
- Sodium Control Diet
Start at: T;N, Level: 2 gm, Adult (>18 years)

Patient Care

- Intermittent Needle Therapy Insert/Site Care
T;N, Stat, q4day
- Instruct/Educate
T;N, Instruct: patient and family, Method: Provide Pamphlet, Topic: Observation Services
- O2 Sat Monitoring NSG
T;N
- Telemetry
T;N, Stat

Respiratory Care





Physician Orders ADULT: Headache Observation Plan

- Nasal Cannula
T;N Routine, 2 L/min, Special Instructions: titrate to keep O2 sat greater than or equal to 92%

Continuous Infusion

- Sodium Chloride 0.9%
1,000 mL, IV, STAT, 75 mL/hr
- Sodium Chloride 0.45%
1,000 mL, IV, STAT, 75 mL/hr
- Dextrose 5% with 0.45% NaCl
1,000 mL, IV, STAT, 75 mL/hr

Medications

- Sodium Chloride 0.9% Bolus
DO NOT Order PO medications unless patient has successfully passed swallow screen.(NOTE)*
- +1 Hours** aspirin
325 mg, DR Tablet, PO, QDay, Routine
Comments: DO NOT Administer if given in ED
- +1 Hours** acetaminophen
650 mg, Tab, PO, q6h, Pain, Mild (1-3), Routine
- +1 Hours** acetaminophen
650 mg, Supp, PR, q4h, PRN Pain or Fever
Comments: Max dose 4g/day
- +1 Hours** acetaminophen-HYDROcodone 325 mg-5 mg oral tablet
1 tab, Tab, PO, q6h, PRN Pain, Moderate (4-7), Routine
- +1 Hours** acetaminophen-oxyCODONE 325 mg-5 mg oral tablet
1 tab, Tab, PO, q6h, PRN Pain, Severe (8-10), Routine
- +1 Hours** promethazine
12.5 mg, Tab, PO, q4h, PRN Nausea, Routine
- +1 Hours** ondansetron
4 mg, Injection, IV Push, q8h, PRN Nausea/Vomiting, Routine
- +1 Hours** metoclopramide
 - 5 mg, Injection, IV Push, q6h, PRN Nausea/Vomiting, Routine (DEF)**
 - 5 mg, Tab, PO, q6h, PRN Nausea/Vomiting*
 - 10 mg, Tab, PO, q6h, PRN Nausea/Vomiting*
 - 10 mg, Injection, IV Push, q6h, PRN Nausea/Vomiting*

Laboratory

- CBC
STAT, T;N, once, Type: Blood, Nurse Collect
- CMP
STAT, T;N, once, Type: Blood, Nurse Collect
- ESR





Physician Orders ADULT: Headache Observation Plan

STAT, T;N, once, Type: Blood, Nurse Collect

- ESR, (Erythrocyte Sedimentation Rate)
STAT, T;N, once, Type: Blood, Nurse Collect

Diagnostic Tests: Include Reason for Exam

- CT Head/Brain W/O Cont
T;N, Reason for Exam: Headache, Stat, Stretcher

Consults/Notifications/Referrals

- Notify Physician-Once
T;N, of room number on arrival to unit
Physician Consult
T;N
Physician Consult
T;N
Case Management Consult
T;N, Reason: Discharge Planning

Date Time Physician's Signature MD Number

*Report Legend:

- DEF - This order sentence is the default for the selected order
GOAL - This component is a goal
IND - This component is an indicator
INT - This component is an intervention
IVS - This component is an IV Set
NOTE - This component is a note
Rx - This component is a prescription
SUB - This component is a sub phase, see separate sheet
R-Required order

