



Physician Orders PEDIATRIC: LEB Bronchoscopy Post Procedure Plan

Initiate Orders Phase

Care Sets/Protocols/PowerPlans

- Initiate Powerplan Phase

Phase: LEB Bronchoscopy Post Procedure Phase, When to Initiate: _____

LEB Bronchoscopy Post Procedure Phase

Admission/Transfer/Discharge

- Return Patient to Room

T;N, when meets PACU criteria for discharge.

Comments: References and PACU discharge criteria are located on MOLLI.

- Transfer Pt within current facility

T;N

Comments: References and PACU discharge criteria are located on MOLLI.

- Discharge When Meets Same Day Criteria

T;N

Comments: References and discharge criteria are located on MOLLI

- Notify Physician-Once

Notify For: Of room number on arrival to unit.

Vital Signs

- Vital Signs

routine post procedure

Patient Care

- O2 Sat Monitoring NSG

continuous

- Cardiopulmonary Monitor

T;N Routine, Monitor Type: CP Monitor

- DC CP Monitor

When ALL Criteria met: No NG-Tube, No PCA, No Chest Tube, No Sepsis Alert notified, PEWS of 0 and 24 hour post op.

- IV Discontinue When Tolerating PO

T;N

- IV Discontinue When Bag Complete

- Nursing Communication

T;N, Continue IV Fluids

Respiratory Care

- Oxygen Delivery

Special Instructions: Titrate to keep O2 sat \geq 92%, Wean to room air

Continuous Infusion

- D5 1/2NS

1,000 mL, IV, Routine, mL/hr





Physician Orders PEDIATRIC: LEB Bronchoscopy Post Procedure Plan

- D5 1/2 NS KCl 20 mEq/L
1,000 mL, IV, Routine, mL/hr

Medications

- +1 Hours** albuterol 2.5 mg/3 mL (0.083%) inhalation solution
0.3 mg/kg, Inh Soln, NEB, q2h, PRN Wheezing, Routine, (for 2 dose)
- +1 Hours** albuterol (MDI)
puff, MDI, INH, q2h, PRN Wheezing, Routine, (for 2 dose), (1 puff = 90 mcg)
- +1 Hours** racepinephrine 2.25% inhalation solution
0.25 mL, Inh Soln, NEB, q4h, PRN Stridor, Routine
- +1 Hours** dexamethasone
0.6 mg/kg, Ped Injectable, IV Piggyback, once, Routine, Max dose = 16mg
- +1 Hours** dexamethasone
0.6 mg/kg, Tab, PO, once, Routine, Max dose = 16mg
- +1 Hours** ondansetron
0.1 mg/kg, Ped Injectable, IV Push, q8h, PRN Nausea/Vomiting, Routine, Max dose = 8 mg

Laboratory

- CBC
T;N, Routine, once, Type: Blood
- Hematocrit & Hemoglobin
T;N,Routine,once,Type: Blood
- BMP
T;N, Routine, once, Type: Blood
- Cystic Fibrosis Respiratory Culture
Routine, T;N, Specimen Source: Washing Trachea, Nurse Collect
- +2 Minutes** Cystic Fibrosis Respiratory Culture
Routine, T;N, Specimen Source: Washing Bronchus, Nurse Collect
- +4 Minutes** Cystic Fibrosis Respiratory Culture
Routine, T;N, Specimen Source: Broncho Alveolar Lavage, Nurse Collect
- +6 Minutes** Cystic Fibrosis Respiratory Culture
Routine, T;N, Specimen Source: Undesignated Source Biopsy Lung Transbronchial
- Respiratory Culture and Gram Stain
Routine, T;N, Specimen Source: Washing Trachea, Nurse Collect
- +2 Minutes** Respiratory Culture and Gram Stain
Routine, T;N, Specimen Source: Washing Bronchus, Nurse Collect
- +4 Minutes** Respiratory Culture and Gram Stain
Routine, T;N, Specimen Source: Broncho Alveolar Lavage, Nurse Collect
- +6 Minutes** Respiratory Culture and Gram Stain
Routine, T;N, Specimen Source: Biopsy Biopsy Lung Transbronchial, Nurse Collect





Physician Orders PEDIATRIC: LEB Bronchoscopy Post Procedure Plan

- AFB Culture and Smear
Routine, T;N, Specimen Source: Washing Trachea, Nurse Collect
- +2 Minutes** AFB Culture and Smear
Routine, T;N, Specimen Source: Washing Bronchus, Nurse Collect
- +4 Minutes** AFB Culture and Smear
Routine, T;N, Specimen Source: Broncho Alveolar Lavage Bronchus, Nurse Collect
- +6 Minutes** AFB Culture and Smear
Routine, T;N, Specimen Source: Biopsy Lung Transbronchial, Nurse Collect
- Fungus Culture
Routine, T;N, Specimen Source: Washing Trachea, Nurse Collect
- +2 Minutes** Fungus Culture
Routine, T;N, Specimen Source: Washing Bronchus, Nurse Collect
- +6 Minutes** Fungus Culture
Routine, T;N, Specimen Source: Biopsy Lung Transbronchial, Nurse Collect
- Fungus Culture
Routine, T;N, Specimen Source: Broncho Alveolar Lavage Body Site: Lung, Nurse Collect
- Respiratory Culture, Viral
Routine, T;N, Specimen Source: Washing Trachea, Nurse Collect
- +2 Minutes** Respiratory Culture, Viral
Routine, T;N, Specimen Source: Washing Bronchus, Nurse Collect
- +4 Minutes** Respiratory Culture, Viral
Routine, T;N, Specimen Source: Biopsy Lung Transbronchial, Nurse Collect
- +6 Minutes** Respiratory Culture, Viral
Routine, T;N, Specimen Source: Broncho Alveolar Lavage Lung, Nurse Collect
- +8 Minutes** Respiratory Culture, Viral
Routine, T;N, Specimen Source: Brushing, Nurse Collect
- RSV Antigen Screen
Routine, T;N, Type: Nasopharyngeal(N-P), Nurse Collect
- +2 Minutes** RSV Antigen Screen
Routine, T;N+2, Type: Nasopharyngeal(N-P)
- +4 Minutes** RSV Antigen Screen
Routine, T;N+4, Type: Nasopharyngeal(N-P)
- Cytology Non-Gyn Order
Routine, T;N, Specimen Type: BAL
- Atypical Pneumo by PCR
Routine, T;N, once, Nurse Collect
- Cell Count & Diff Fluid
Routine, T;N, Type: Lung Fluid, Nurse Collect





Physician Orders PEDIATRIC: LEB Bronchoscopy Post Procedure Plan

Comments: *Broncho Alveolar Lavage*

- Histology Order
Routine, T;N
- Electron Microscopy
Routine, T;N, Type: Nasal Ciliary Biopsy, Nurse Collect
- Influenza/RSV Panel PCR
Routine, T;N, once, Type: Respiratory, Nurse Collect

Diagnostic Tests

- Chest 1VW Frontal
T;N, Routine, Portable

Consults/Notifications/Referrals

- Notify Resident-Continuing
- Notify Resident-Once
- Consult MD Group
- Consult MD

Date	Time	Physician's Signature	MD Number
------	------	-----------------------	-----------

***Report Legend:**

- DEF - This order sentence is the default for the selected order
- GOAL - This component is a goal
- IND - This component is an indicator
- INT - This component is an intervention
- IVS - This component is an IV Set
- NOTE - This component is a note
- Rx - This component is a prescription
- SUB - This component is a sub phase, see separate sheet
- R-Required order

